

Comp 311
Principles of Programming Languages
Lectures 14-15
Review

Corky Cartwright
September 27-29, 2009

OO Code Samples

- Show selections from solution to Assignment 2
 - Class hierarchy for Binding union
 - Sample visitor method code
- Discuss some OO design tradeoffs
 - Use of instanceof
 - With composite, visitor implementation of methods is not always mandated. Good idea to “build in” some core operations of a composite using the interpreter pattern. Why? Leaner (in terms of lines of code). Easier to read.

Good Commenting Conventions

- Javadoc description for every class, field, non-trivial method.
- Method descriptions are informal contracts. Contracts should be as precise as possible. In some cases (e.g., GUI libraries), complete precision may not be feasible.
- Sample solutions could be better commented.

Answer to Question on Eliminating Lambda

Goal: devise a few combinators that enable us to express all λ -expressions without explicitly using λ .

Notation: let $\lambda^* x. M$ denote $\lambda x. M$ converted to a form that eliminates the starred λ . Then

- $\lambda^* x. x \rightarrow \mathbf{I}$ (where $\mathbf{I} = \lambda x. x$)
- $\lambda^* x. y \rightarrow \mathbf{K} y$
- $\lambda^* x. M N \rightarrow \mathbf{S} (\lambda^* x. M) (\lambda^* x. N)$ (where $\mathbf{S} = \lambda x. \lambda y. \lambda z. (y x) (z x)$)

Strategy: eliminate λ -abstractions from inside out, one-at-a-time. But any order works. Transformation can cause exponential blow-up.

Note: \mathbf{I} is technically unnecessary since $\mathbf{SKK} = \mathbf{I}$