

COMPLETE AXIOMATIZATIONS FOR REASONING ABOUT KNOWLEDGE AND TIME*

JOSEPH Y. HALPERN[†], RON VAN DER MEYDEN[‡], AND MOSHE Y. VARDI[§]

Abstract. Sound and complete axiomatizations are provided for a number of different logics involving modalities for knowledge and time. These logics arise from different choices for various parameters regarding the interaction of knowledge with time and regarding the language used. All the logics considered involve the discrete time linear temporal logic operators ‘next’ and ‘until’ and an operator for the knowledge of each of a number of agents. Both the single agent and multiple agent cases are studied: in some instances of the latter there is also an operator for the common knowledge of the group of all agents. Four different semantic properties of agents are considered: whether they have a unique initial state, whether they operate synchronously, whether they have perfect recall, and whether they learn. The property of no learning is essentially dual to perfect recall. Not all settings of these parameters lead to recursively axiomatizable logics, but sound and complete axiomatizations are presented for all the ones that do.

Key words. complete axiomatizations, knowledge, common knowledge, temporal logic, epistemic logic

AMS subject classifications.

1. Introduction. It has recently been argued that knowledge is a useful tool for analyzing the behavior and interaction of agents in a distributed system (see [1] and the references therein). When analyzing a system in terms of knowledge, not only is the current state of knowledge of the agents in the system relevant, but also how that state of knowledge changes over time. A formal propositional logic of knowledge and time was first proposed by Sato [17]; many others have since been proposed [2, 12, 11, 15, 18]. Unfortunately, while these logics often use similar or identical notation, they differ in a number of significant respects.

In [8], logics for knowledge and time were categorized along two major dimensions: the language used and the assumptions made on the underlying distributed system. The properties of knowledge in a system turn out to depend in subtle ways on these assumptions. The assumptions considered in [8] concern whether agents have *unique initial states*, operate *synchronously* or *asynchronously*, have *perfect recall*, and whether they satisfy a condition called *no learning*. There are 16 possible combinations of these assumptions on the underlying system. Together with 6 choices of language, this gives us 96 logics in all. All the logics considered in the papers mentioned above fit into the framework. In [6, 7, 8], the computational complexity of these logics is completely characterized; the results of these papers show how the subtle interplay of the parameters can have a tremendous impact on complexity. The complexity results show that some of these logics cannot be given a recursive axiomatization, since the set of valid formulas for these logics is not recursively enumerable.

*This paper incorporates results from [5], [7], and [14].

[†]Computer Science Dept., Cornell University, Ithaca, NY 14853 (halpern@cs.cornell.edu; <http://www.cs.cornell.edu/home/halpern>). Much of the work on this paper was carried out while this author was at the IBM Almaden Research Center. IBM’s support is gratefully acknowledged. The work was also supported in part by the NSF, under grants IRI-95-03109 and IRI-96-25901, and the Air Force Office of Scientific Research (AFSC), under grant F94620-96-1-0323.

[‡]School of Computer Science and Engineering, University of New South Wales, Sydney 2052, Australia (meyden@cse.unsw.edu.au; <http://www.cse.unsw.edu.au/~meyden>).

[§]Computer Science Department, Rice University, Houston, TX 77005-1892 (vardi@cs.rice.edu; <http://www.cs.rice.edu/~vardi>).

Of these 96 logics, 48 involve *linear time* and 48 involve *branching time*. (The distinction between linear and branching time essentially amounts to whether or not we can quantify over the possible executions of a program [16].) To keep this paper to manageable length, we focus here on the linear time logics, and provide axiomatic characterizations of all the linear time logics for which an axiomatization is possible at all (i.e., for those logics for which the set of valid formulas is r.e.).

The rest of this paper is organized as follows. In the next section, we provide formal definitions for the logics we consider. In Section 2, we review the syntax and semantics of all the logics of knowledge and time that we consider here. In particular, we review the four assumptions on the underlying system that we axiomatize in this paper. In Section 3, we state the axioms for all the systems. In Section 4, we introduce the notion of *enriched systems*, which form the basis for all our completeness proofs. In Section 5, we prove soundness and completeness for the axiom systems described in Section 3. The definition of no learning that we use here is slightly different from that used in [1, 5], although they agree in many cases of interest. We discuss the motivation for our change in Section 6. We conclude with some further discussion in Section 7.

2. The Formal Model: Language and Systems. The material in this section is largely taken from [8], and is repeated here to make this paper self-contained. The reader is encouraged to consult [8] for further details and motivation.

The logics we are considering are all propositional. Thus, we start out with primitive propositions p, q, \dots and we close the logics under negation and conjunction, so that if φ and ψ are formulas, so are $\neg\varphi$ and $\varphi \wedge \psi$. In addition, we close off under modalities for knowledge and time, as discussed below. As usual, we view *true* as an abbreviation for $\neg(p \wedge \neg p)$, $\varphi \vee \psi$ as an abbreviation for $\neg(\neg\varphi \wedge \neg\psi)$, and $\varphi \Rightarrow \psi$ as an abbreviation for $\neg\varphi \vee \psi$.

If we have m agents (in distributed systems applications, this would mean a system with m processors), we add the modalities K_1, \dots, K_m . Thus, if φ is a formula, so is $K_i\varphi$ (read “agent i knows φ ”). We take $L_i\varphi$ to be an abbreviation for $\neg K_i\neg\varphi$. In some cases we also want to talk about common knowledge, so we add the modalities E and C into the language; $E\varphi$ says that everyone knows φ , while $C\varphi$ says φ is common knowledge.

There are two basic linear temporal modalities (sometimes called *operators* or *connectives*): a unary operator \bigcirc and a binary operator U . Thus, if φ and ψ are formulas, then so are $\bigcirc\varphi$ (read “next time φ ”) and $\varphi U \psi$ (read “ φ until ψ ”). $\diamond\varphi$ is an abbreviation for *true* $U\varphi$, while $\Box\varphi$ is an abbreviation for $\neg\diamond\neg\varphi$. Intuitively, $\bigcirc\varphi$ says that φ is true at the next point (one time unit later), $\varphi U \psi$ says that φ holds until ψ does, $\diamond\varphi$ says that φ is eventually true (either in the present or at some point in the future), and $\Box\varphi$ says that φ is always true (in the present and at all points in the future). In [8], branching time operators are also considered, which have quantifiers over runs. For example, $\forall\bigcirc$ is a branching time operator such that $\forall\bigcirc\varphi$ is true when $\bigcirc\varphi$ is true for all possible futures. Since we do not consider branching time operators in this paper, we omit the formal definition here. We take CKL_m to be the language for m agents with all the modal operators for knowledge and linear time discussed above; KL_m is the restricted version without the E and C operators.

A *system* for m agents consists of a set \mathcal{R} of runs, where each run $r \in \mathcal{R}$ is a function from \mathbb{N} to \mathbf{L}^{m+1} , where \mathbf{L} is some set of *local states*. There is a local state for each agent, together with a local state for the *environment*; intuitively, the environment keeps track of all the relevant features of the system not described by

the agents' local states, such as messages in transit but not yet delivered. Thus, $r(n)$ has the form $\langle l_e, l_1, \dots, l_m \rangle$, where l_e is the state of the environment, and l_i is the local state of agent i , for $i = 1, \dots, m$; such a tuple is called a *global state*. (Formally, we could view a system as a tuple $(\mathcal{R}, \mathbf{L}, m)$, making the \mathbf{L} and m explicit. We have chosen not to do so in order to simplify notation. The \mathbf{L} and m should always be clear from context.) An *interpreted system* \mathcal{I} for m agents is a tuple (\mathcal{R}, π) where \mathcal{R} is a system for m agents, and π maps every point $(r, n) \in \mathcal{R} \times \mathbb{N}$ to a truth assignment $\pi(r, n)$ to the primitive propositions (so that $\pi(r, n)(p) \in \{\mathbf{true}, \mathbf{false}\}$ for each primitive proposition p).¹

We now give semantics to CKL_m and KL_m . Given an interpreted system $\mathcal{I} = (\mathcal{R}, \pi)$, we write $(\mathcal{I}, r, n) \models \varphi$ if the formula φ is true at (or *satisfied by*) the point (r, n) of interpreted system \mathcal{I} . We define \models inductively for formulas of CKL_m (for KL_m we just omit the clauses involving C and E). In order to give the semantics for formulas of the form $K_i\varphi$, we need to introduce one new notion. If $r(n) = \langle l_e, l_1, \dots, l_m \rangle$, $r'(n') = \langle l'_e, l'_1, \dots, l'_m \rangle$, and $l_i = l'_i$, then we say that $r(n)$ and $r'(n')$ are *indistinguishable to agent i* and write $(r, n) \sim_i (r', n')$. Of course, \sim_i is an equivalence relation on global states (inducing an equivalence relations on points). $K_i\varphi$ is defined to be true at (r, n) exactly if φ is true at all the points whose associated global state is indistinguishable to i from that of (r, n) . We proceed as follows:

- $(\mathcal{I}, r, n) \models p$ for a primitive proposition p iff $\pi(r, n)(p) = \mathbf{true}$
- $(\mathcal{I}, r, n) \models \varphi \wedge \psi$ iff $(\mathcal{I}, r, n) \models \varphi$ and $(\mathcal{I}, r, n) \models \psi$
- $(\mathcal{I}, r, n) \models \neg\varphi$ iff $(\mathcal{I}, r, n) \not\models \varphi$
- $(\mathcal{I}, r, n) \models K_i\varphi$ iff $(\mathcal{I}, r', n') \models \varphi$ for all (r', n') such that $(r, n) \sim_i (r', n')$
- $(\mathcal{I}, r, n) \models E\varphi$ iff $(\mathcal{I}, r', n') \models K_i\varphi$ for $i = 1, \dots, m$
- $(\mathcal{I}, r, n) \models C\varphi$ iff $(\mathcal{I}, r', n') \models E^k\varphi$, for $k = 1, 2, \dots$ (where $E^1\varphi = E\varphi$ and $E^{k+1}\varphi = EE^k\varphi$)
- $(\mathcal{I}, r, n) \models \bigcirc\varphi$ iff $(\mathcal{I}, r, n+1) \models \varphi$
- $(\mathcal{I}, r, n) \models \varphi U \psi$ iff there is some $n' \geq n$ such that $(\mathcal{I}, r, n') \models \psi$, and for all n'' with $n \leq n'' < n'$, we have $(\mathcal{I}, r, n'') \models \varphi$.

There is a graphical interpretation of the semantics of C which we shall find useful in the sequel. Fix an interpreted system \mathcal{I} . A point (r', n') in \mathcal{I} is *reachable* from a point (r, n) if there exist points $(r_0, n_0), \dots, (r_k, n_k)$ such that $(r, n) = (r_0, n_0)$, $(r', n') = (r_k, n_k)$, and for all $j = 0, \dots, k-1$ there exists i such that $(r_j, n_j) \sim_i (r_{j+1}, n_{j+1})$. The following result is well known (and easy to check).

LEMMA 2.1. [4] $(\mathcal{I}, r, n) \models C\varphi$ iff $(\mathcal{I}, r', n') \models \varphi$ for all points (r', n') reachable from (r, n) .

As usual, we define a formula φ to be *valid with respect to a class \mathcal{C} of interpreted systems* iff $(\mathcal{I}, r, n) \models \varphi$ for all interpreted systems $\mathcal{I} \in \mathcal{C}$ and points (r, n) in \mathcal{I} . A formula φ is *satisfiable with respect to \mathcal{C}* iff for some $\mathcal{I} \in \mathcal{C}$ and some point (r, n) in \mathcal{I} , we have $(\mathcal{I}, r, n) \models \varphi$.

We now turn our attention to formally defining the classes of interpreted systems of interest. For some of these definitions, it will be useful to give a number of equivalent

¹Note that while we are being consistent with [8] here, in [1], π is taken to be a function from global states (not points) to truth values. Essentially, this means that in [1] a more restricted class of structures is considered, where π is forced to be the same at any two points associated with the same global state. Clearly our soundness results hold in the more restricted class of structures. It is also easy to see that our completeness results hold in the more restricted class too. All our completeness proofs have (or can be easily modified to have) the property that a structure is constructed where each point is associated with a different global state, and thus is an instance of the more restrictive structures used in [1].

presentations.

Perfect recall means, intuitively, that an agent’s local state encodes everything that has happened (for that agent’s point of view) thus far in the run. To make this precise, we need to define “what has happened so far from the agent’s point of view”. Let *agent i’s local-state sequence at the point* (r, n) be the sequence l_0, \dots, l_k of states that agent i takes on in run r up to and including time n , with consecutive repetitions omitted. For example, if from time 0 through 4 in run r agent i goes through the sequence l, l, l', l, l of states, its history at $(r, 4)$ is just l, l', l . Agent i ’s local-state sequence at a point (r, m) essentially describes what has happened in the run up to time m , from i ’s point of view. Omitting consecutive repetitions from the local-state is intended to model asynchrony; “stuttering” is ignored.

Roughly speaking, agent i has perfect recall if i ’s current state encodes its history, i.e., i ’s whole local-state sequence. More formally, we say that *agent i has perfect recall* (alternatively, *agent i does not forget*) in system \mathcal{R} if at all points (r, n) and (r', n') in \mathcal{R} , if $(r, n) \sim_i (r', n')$, then r has the same local-state sequence at both (r, n) and (r', n') .

There are a number of equivalent characterizations of perfect recall. One characterization that will prove particularly useful in the comparison with the concept of no learning, which we are about to define, is the following. Let $S = (s_0, s_1, s_2, \dots)$ and $T = (t_0, t_1, t_2, \dots)$ be two (finite or infinite) sequences and let \sim be a relation on the elements of S and T . Then we say that S and T are \sim -concordant if there is some k (k may be ∞) and nonempty consecutive intervals S_1, \dots, S_k of S and T_1, \dots, T_k of T such that for all $s \in S_j$ and $t \in T_j$, we have $s \sim t$, for $j = 1, \dots, k$.

LEMMA 2.2. [5, 14] *The following are equivalent.*

- (a) *Agent i has perfect recall in system \mathcal{R} .*
- (b) *For all points $(r, n) \sim_i (r', n')$ in \mathcal{R} , $((r, 0), \dots, (r, n))$ is \sim_i -concordant with $((r', 0), \dots, (r', n'))$.*
- (c) *For all points $(r, n) \sim_i (r', n')$ in \mathcal{R} , if $n > 0$, then either $(r, n-1) \sim_i (r', n')$ or there exists a number $l < n'$ such that $(r, n-1) \sim_i (r', l)$ and for all k with $l < k \leq n'$ we have $(r, n) \sim_i (r', k)$.*
- (d) *For all points $(r, n) \sim_i (r', n')$ in \mathcal{R} , if $k \leq n$, then there exists $k' \leq n'$ such that $(r, k) \sim_i (r', k')$.*

Proof. The implications from (a) to (b), from (b) to (c) and from (c) to (d) are straightforward. The implication from (d) to (a) can be proved by a straightforward induction on $n + n'$. \square

Lemma 2.2 shows that perfect recall requires an unbounded number of local states in general, since agent i may have an infinite number of distinct histories in a given system. A system where agent i has perfect recall is shown in Figure 2.1, where the vertical lines denote runs (with time 0 at the top) and all points that i cannot distinguish are enclosed in the same region.

We remark that the official definition of perfect recall given here is taken from [1]. In [5], part (d) of Lemma 2.2 was taken as the definition of perfect recall (which was called no forgetting in that paper).

Roughly speaking, no learning is the dual notion to perfect recall. Perfect recall says that if the agent considers run r' possible at the point (r, n) , in that there is a point (r', n') that the agent cannot distinguish from (r, n) , then the agent must have considered r' possible at all times in the past (i.e., at all points (r, k) with $k \leq n$); it is not possible that the agent once considered r' impossible and then forgot this fact. No learning says that if the agent considers r' possible at (r, n) , then the agent

FIG. 2.1. A system where agent i has perfect recall

will consider r' possible at all times in the future; the agent will not learn anything that will allow him to distinguish r from r' . More formally, we define an agent's *future local-state sequence* at (r, n) to be the sequence of local states l_0, l_1, \dots that the agent takes on in run r , starting at (r, n) , with consecutive repetitions omitted. We say agent i *does not learn* in system \mathcal{R} if at all points (r, n) and (r', n') in \mathcal{R} , if $(r, n) \sim_i (r', n')$, then r has the same future local-state sequence at both (r, n) and (r', n') .

Just as with perfect recall, there are a number of equivalent formulations of no learning.

LEMMA 2.3. *The following are equivalent.*

- (a) *Agent i does not learn in system \mathcal{R} .*
- (b) *For all points $(r, n) \sim_i (r', n')$ in \mathcal{R} , $((r, n), (r, n + 1), \dots)$ is \sim_i -concordant with $((r', n'), (r', n' + 1), \dots)$.*
- (c) *For all points $(r, n) \sim_i (r', n')$ in \mathcal{R} , either $(r, n + 1) \sim_i (r', n')$ or there exists a number $l > n'$ such that $(r, n + 1) \sim_i (r', l)$ and for all k with $l > k \geq n'$ we have $(r, n) \sim_i (r', k)$.*

Notice that we have no analogue to part (d) of Lemma 2.2 in Lemma 2.3 (where \leq is replaced by \geq). The analogue of (d) is strictly weaker than (a), (b), and (c), although they are equivalent in synchronous systems (which we are about to define formally). It was just this analogue of (d) that was used to define no learning in [5, 8]. We examine the differences between the notions carefully in Section 6, where we provide more motivation for the definition chosen here.

In a *synchronous* system, we assume that every agent has access to a global clock that ticks at every instant of time, and the clock reading is part of its state. Thus, in a synchronous system, each agent always “knows” the time. More formally, we say that a system \mathcal{R} is *synchronous* if for all agents i and all points (r, n) and (r', n') ,

if $(r, n) \sim_i (r', n')$, then $n = n'$.² Observe that in a synchronous system where $(r, n) \sim_i (r', n)$, an easy induction on n shows that if i has perfect recall and $n > 0$, then $(r, n - 1) \sim_i (r', n - 1)$, while if i does not learn, then $(r, n + 1) \sim_i (r', n + 1)$.

Finally, we say that a system \mathcal{R} has a *unique initial state* if for all runs $r, r' \in \mathcal{R}$, we have $r(0) = r'(0)$. Thus, if \mathcal{R} is a system with a unique initial state, then we have $(r, 0) \sim_i (r', 0)$ for all runs r, r' in \mathcal{R} and all agents i .

We say that $\mathcal{I} = (\mathcal{R}, \pi)$ is an interpreted system where agents have perfect recall (resp., agents do not learn, time is synchronous, there is a unique initial state) exactly if \mathcal{R} is a system with that property. We use \mathcal{C}_m to denote the class of all interpreted systems for m agents, and add the superscripts *nl*, *pr*, *sync*, and *uis* to denote particular subclasses of \mathcal{C}_m . Thus, for example, we use $\mathcal{C}_m^{nl,pr}$ to denote the set of all interpreted systems with m agents that have perfect recall and do not learn. We omit the subscript m when it is clear from context.

The results of [6, 7, 8] (some of which are based on earlier results of Ladner and Reif [11]) are summarized in Table 2.1. Each entry states a complexity class for which the corresponding problem is complete. For $\varphi \in KL_m$, we define $ad(\varphi)$ to be the greatest number of alternations of distinct K_i 's along any branch in φ 's parse tree. For example, $ad(K_1 \neg K_2 K_1 p) = 3$; temporal operators are not considered, so that $ad(K_1 \Box K_1 p) = 1$. (In Table 2.1, we do not consider the language CKL_1 . This is because if $m = 1$, then $C\varphi$ is equivalent to $K_1\varphi$. Thus, CKL_1 is equivalent to KL_1 .) We omit the definitions of complexity classes such as Π_1^1 and nonelementary time ($ex(ad(\varphi) + 1, c|\varphi|)$ here. (Note that c is a constant in the latter expression.) All that matters for our purposes is that for the cases where the complexity is Π_1^1 or co-r.e., there can be no recursive axiomatization; the validity problem is too hard. We provide complete axiomatizations here for the remaining cases.

	$CKL_m, m \geq 2$	$KL_m, m \geq 2$	KL_1
$\mathcal{C}_m^{pr}, \mathcal{C}_m^{pr, sync}, \mathcal{C}_m^{pr, uis}, \mathcal{C}_m^{pr, sync, uis}$	Π_1^1	nonelementary time $ex(ad(\varphi) + 1, c \varphi)$	double-exponential time
$\mathcal{C}_m^{nl}, \mathcal{C}_m^{nl, pr}, \mathcal{C}_m^{nl, pr, sync}, \mathcal{C}_m^{nl, sync}$	Π_1^1	nonelementary space $ex(ad(\varphi), c \varphi)$	EXPSPACE
$\mathcal{C}_m^{nl, pr, uis}$	Π_1^1	Π_1^1	EXPSPACE
$\mathcal{C}_m^{nl, uis}$	co-r.e.	co-r.e.	EXPSPACE
$\mathcal{C}_m^{nl, sync, uis}, \mathcal{C}_m^{nl, pr, sync, uis}$	EXPSPACE	EXPSPACE	EXPSPACE
$\mathcal{C}_m, \mathcal{C}_m^{sync}, \mathcal{C}_m^{sync, uis}, \mathcal{C}_m^{uis}$	EXPTIME	PSPACE	PSPACE

TABLE 2.1

The complexity of the validity problem for logics of knowledge and time

3. Axiom Systems. In this section, we describe the axioms and inference rules that we need for reasoning about knowledge and time for various classes of systems, and state the completeness results. The proofs of these results are deferred to Section 5.

For reasoning about knowledge alone, the following system, with axioms K1–K5 and rules of inference R1–R2, is well known to be sound and complete [1, 9]:

²We remark that in [5], a slightly weaker definition is given: There, a system is said to be synchronous if for all runs r , if $(r, n) \sim_i (r, n')$ then $n = n'$. It is easy to show (by induction on n) that the two definitions are equivalent for systems where agents have perfect recall. In general, however, they are different. The definition given here is the one used in [1, 8].

- K1. All tautologies of propositional logic
- K2. $K_i\varphi \wedge K_i(\varphi \Rightarrow \psi) \Rightarrow K_i\psi$, $i = 1, \dots, m$
- K3. $K_i\varphi \Rightarrow \varphi$, $i = 1, \dots, n$
- K4. $K_i\varphi \Rightarrow K_iK_i\varphi$, $i = 1, \dots, m$
- K5. $\neg K_i\varphi \Rightarrow K_i\neg K_i\varphi$, $i = 1, \dots, m$
- R1. From φ and $\varphi \Rightarrow \psi$ infer ψ
- R2. From φ infer $K_i\varphi$, $i = 1, \dots, m$

This axiom system is known as $S5_m$.

For reasoning about the temporal operators individually, the following system (together with K1 and R1), is well known to be sound and complete [3]:

- T1. $\bigcirc\varphi \wedge \bigcirc(\varphi \Rightarrow \psi) \Rightarrow \bigcirc\psi$
- T2. $\bigcirc(\neg\varphi) \Leftrightarrow \neg\bigcirc\varphi$
- T3. $\varphi U \psi \Leftrightarrow \psi \vee (\varphi \wedge \bigcirc(\varphi U \psi))$
- RT1. From φ infer $\bigcirc\varphi$
- RT2. From $\varphi' \Rightarrow \neg\psi \wedge \bigcirc\varphi'$ infer $\varphi' \Rightarrow \neg(\varphi U \psi)$

The system containing the above axioms and inference rules for both knowledge and time is called $S5_m^U$. $S5_m^U$ is easily seen to be sound for \mathcal{C}_m , the class of all systems for m agents. Given that there is no necessary connection between knowledge and time in \mathcal{C}_m , it is perhaps not surprising that $S5_m^U$ should be complete with respect to \mathcal{C}_m as well. Interestingly, even if we impose the requirements of synchrony or uis, $S5_m^U$ remains complete; our language is not rich enough to capture these conditions.

THEOREM 3.1. *$S5_m^U$ is a sound and complete axiomatization for the language KL_m with respect to \mathcal{C}_m , \mathcal{C}_m^{sync} , \mathcal{C}_m^{uis} , and $\mathcal{C}_m^{sync,uis}$.*

We get the same lack of interaction between knowledge in the classes \mathcal{C}_m , \mathcal{C}_m^{sync} , \mathcal{C}_m^{uis} , and $\mathcal{C}_m^{sync,uis}$ even when we add common knowledge. It is well known that the following two axioms and inference rule characterize common knowledge [1, 4]:

- C1. $E\varphi \Leftrightarrow \bigwedge_{i=1}^m K_i\varphi$
- C2. $C\varphi \Rightarrow E(\varphi \wedge C\varphi)$
- RC1. From $\varphi \Rightarrow E(\psi \wedge \varphi)$ infer $\varphi \Rightarrow C\psi$

Let $S5C_m^U$ be the result of adding C1, C2, and RC1 to $S5_m^U$. We then have the following extension of Theorem 3.1.

THEOREM 3.2. *$S5C_m^U$ is a sound and complete axiomatization for the language CKL_m with respect to \mathcal{C}_m , \mathcal{C}_m^{sync} , \mathcal{C}_m^{uis} , and $\mathcal{C}_m^{sync,uis}$.*

If we restrict attention to systems with perfect recall or no learning, then knowledge and time do interact. We start by stating five axioms of interest, and then discuss them.

- KT1. $K_i\Box\varphi \Rightarrow \Box K_i\varphi$, $i = 1, \dots, m$
- KT2. $K_i\bigcirc\varphi \Rightarrow \bigcirc K_i\varphi$, $i = 1, \dots, m$.
- KT3. $K_i\varphi_1 \wedge \bigcirc(K_i\varphi_2 \wedge \neg K_i\varphi_3) \Rightarrow L_i((K_i\varphi_1) U [(K_i\varphi_2) U \neg\varphi_3])$, $i = 1, \dots, m$
- KT4. $K_i\varphi_1 U K_i\varphi_2 \Rightarrow K_i(K_i\varphi_1 U K_i\varphi_2)$, $i = 1, \dots, m$.
- KT5. $\bigcirc K_i\varphi \Rightarrow K_i\bigcirc\varphi$, $i = 1, \dots, m$.

Axiom KT1 was first discussed by Ladner and Reif [11]. Informally, this axiom states that if a proposition is known to be always true, then it is always known to be true. It is not hard to show, using Lemma 2.2, that axiom KT1 holds with perfect recall, that is, KT1 is valid in \mathcal{C}_m^{pr} . It was conjectured in an early draft of [1] that the system $S5_m^U + KT1$ would be complete for \mathcal{C}_m^{pr} . However, it was shown in [14] that this conjecture was false. To get completeness we need a stronger axiom: KT3.

It is not hard to see that KT3 is valid in systems with perfect recall. A formal proof is provided in Section 5, but we can give some intuition here. Suppose $(\mathcal{I}, r, n) \models$

$K_i\varphi_1 \wedge \bigcirc(K_i\varphi_2 \wedge \neg K_i\varphi_3)$. That means that $(\mathcal{I}, r, n+1) \models \neg K_i\varphi_3$, so there must be some point $(r', n') \sim_i (r, n+1)$ such that $(\mathcal{I}, r', n') \models \neg\varphi_3$. Because agent i has perfect recall, there must exist some $k' \leq n'$ such that $(r', k') \sim_i (r, n)$. It is not hard to show, using Lemma 2.2(c), that $(\mathcal{I}, r', k') \models K_i\varphi_1 U (K_i\varphi_2 U \neg\varphi_3)$. It follows that $(\mathcal{I}, r, n) \models L_i(K_i\varphi_1 U (K_i\varphi_2 U \neg\varphi_3))$.

In the presence of the other axioms, KT3 implies KT1. The following general lemma, which applies to all the proof systems we consider, is useful for the proof.

LEMMA 3.3. *Suppose that $\vdash \varphi_1 \Leftrightarrow \varphi_2$ and let ψ' be the result of replacing some of the occurrences of φ_1 in ψ by φ_2 . Then $\vdash \psi \Leftrightarrow \psi'$.*

Proof. By induction, it suffices to assume that ψ' is the result of replacing one occurrence of φ_1 in ψ by φ_2 . The proof proceeds by a straightforward induction on the structure of ψ . \square

LEMMA 3.4. *KT1 is provable in $S5_m^U + \text{KT3}$.*

Proof. Note that by purely temporal reasoning, we can show $\vdash \Box\varphi \Leftrightarrow \Box\Box\varphi$. Using R2 and K2, this implies that $\vdash K_i\Box\varphi \Leftrightarrow K_i\Box\Box\varphi$. Now if $\varphi_1 = \varphi_2 = \text{true}$, then (using 3.3) KT3 simplifies to $\bigcirc\neg K_i\varphi_3 \Rightarrow \neg K_i\Box\varphi_3$. In particular, taking the contrapositive, substituting $\varphi_3 = \Box\varphi$, and using T2, we obtain $\vdash K_i\Box\Box\varphi \Rightarrow \bigcirc K_i\Box\varphi$, which yields $\vdash K_i\Box\varphi \Rightarrow \bigcirc K_i\Box\varphi$ by the equivalence noted above. It is also straightforward to show that $\vdash \Box\varphi \Rightarrow \varphi$, from which it follows, using K2 and R2, that $\vdash K_i\Box\varphi \Rightarrow K_i\varphi$. The axiom KT1 now follows using the rule RT2 (using the fact that $\Box\varphi$ is an abbreviation for $\neg(\text{true}U\neg\varphi)$). \square

KT3 turns out to be strong enough to give us completeness, with or without the condition uis.

THEOREM 3.5. *$S5_m^U + \text{KT3}$ is a sound and complete axiomatization for the language KL_m with respect to \mathcal{C}_m^{pr} and $\mathcal{C}_m^{pr,uis}$.*

Theorem 3.1 shows that requiring synchrony or uis does not have an impact when we consider the class of all systems— \mathcal{C}_m , \mathcal{C}_m^{sync} , \mathcal{C}_m^{uis} , and $\mathcal{C}_m^{sync,uis}$ are all axiomatized by $S5_m^U$ —and Theorem 3.5 shows that adding uis does not have an impact in the presence of perfect recall. However, requiring synchrony does have an impact in the presence of perfect recall. It is easy to see that KT2 is valid in $\mathcal{C}_m^{pr,sync}$, and it clearly is not valid in \mathcal{C}_m^{pr} . Moreover, KT2 suffices for completeness in $\mathcal{C}_m^{pr,sync}$; we do not need the complications of KT3.

THEOREM 3.6. *$S5_m^U + \text{KT2}$ is a sound and complete axiomatization for the language KL_m with respect to $\mathcal{C}_m^{pr,sync}$ and $\mathcal{C}_m^{pr,sync,uis}$.*

KT4 is the axiom that characterizes no learning. More precisely:

THEOREM 3.7. *$S5_m^U + \text{KT4}$ is a sound and complete axiomatization for the language KL_m with respect to \mathcal{C}_m^{nl} .*

Unlike previous cases, the uis assumption is not innocuous in the presence of nl. For one thing, it is not hard to check that assuming uis leads to extra properties. Indeed, as Table 2.1 shows, if $m \geq 2$, then assuming a unique initial state along with no learning results in a class of systems that do not have a recursive axiomatic characterization, since the validity problem is co-r.e.-complete. On the other hand, if there is only one agent in the picture, things simplify. No learning together with uis implies perfect recall. Thus, we get

THEOREM 3.8. *$S5_m^U + \text{KT3} + \text{KT4}$ is a sound and complete axiomatization for the language KL_m with respect to $\mathcal{C}_m^{nl,pr}$. Moreover, it is a sound and complete axiomatization for the language KL_1 with respect to $\mathcal{C}_1^{nl,pr,uis}$.*

In synchronous systems with no learning, things again become simpler. KT5, the converse of KT2, suffices to characterize such systems.

THEOREM 3.9. $S5_m^U + \text{KT5}$ is a sound and complete axiomatization for the language KL_m with respect to $\mathcal{C}_m^{nl, sync}$. Of course, it follows from Theorem 3.9 that KT4 can be derived in the system $S5_m^U + \text{KT5}$ (although this result takes some work to prove directly).

Not surprisingly, if we combine perfect recall, no learning, and synchrony, then KT2 and KT5 give us a complete axiomatization.

THEOREM 3.10. $S5_m^U + \text{KT2} + \text{KT5}$ is a sound and complete axiomatization for the language KL_m with respect to $\mathcal{C}_m^{nl, pr, sync}$.

Finally, it can be shown that when we combine no learning, synchrony, and uis, then not only do all agents consider the same worlds possible initially, but they consider the same worlds possible at all times. As a result, the axiom $K_i\varphi \Leftrightarrow K_j\varphi$ is valid in this case. This allows us to reduce to the single-agent case. Moreover, as we observed above, in the single-agent case, no learning and uis imply perfect recall. Thus, we get the following result.

THEOREM 3.11. $S5_m^U + \text{KT2} + \text{KT5} + \{K_i\varphi \Leftrightarrow K_1\varphi\}$ is a sound and complete axiomatization for the language KL_m with respect to $\mathcal{C}_m^{nl, sync, uis}$ and $\mathcal{C}_m^{nl, pr, sync, uis}$.

A glance at Table 2.1 shows that we have now provided axiomatizations for all the cases where complete axiomatizations exist. (Notice that for the language CKL_m , if $m = 1$, then common knowledge reduces to knowledge, while if $m > 1$, then complete axiomatizations can exist only for \mathcal{C}_m , \mathcal{C}_m^{sync} , \mathcal{C}_m^{uis} , $\mathcal{C}_m^{sync, uis}$, $\mathcal{C}_m^{nl, sync, uis}$, and $\mathcal{C}_m^{nl, pr, sync, uis}$. The first four cases were dealt with in Theorem 3.2, while in the last two, as we have observed, common knowledge reduces to the knowledge of agent 1.)

4. A Framework for Completeness Proofs. In this section we develop a general framework for completeness proofs that reduces the work required in each of the different completeness results to a single lemma. With respect to the temporal dimension, our constructions resemble those previously used for completeness of dynamic logic [10] and temporal logics, in that we construct a model for a consistent formula ψ out of consistent subsets of a finite set of formulas, called the *closure* of ψ . However, in order to deal with the knowledge modalities, we need a number of distinct levels of closure, having a tree-like structure. At the leaves of this tree-like structure, the closure is like the usual closure for temporal logic. As we move towards the root, we add formulas to the closure that increase the level of nesting of the knowledge modalities.

A formula ψ is said to be *consistent* in a logic \mathcal{L} if it is not the case that $\vdash_{\mathcal{L}} \neg\psi$. For each of the pairs $(\mathcal{L}, \mathcal{C})$ of logic \mathcal{L} and class \mathcal{C} of systems we consider, the proof that \mathcal{L} is complete with respect to \mathcal{C} proceeds by constructing, for every formula ψ consistent with respect to \mathcal{L} , a system in \mathcal{C} containing a point at which ψ is true. All the results in this section hold for every logic containing $S5_m^U$, except for Lemma 4.8, which mentions common knowledge. This lemma holds for every logic containing $S5C_m^U$. Rather than mentioning the logic \mathcal{L} explicitly in each case, we just write \vdash rather than $\vdash_{\mathcal{L}}$; the intended logic(s) will be clear from context. We also fix the formula ψ , which is assumed to be consistent with respect to \mathcal{L} .

A finite sequence $\sigma = i_1i_2 \dots i_k$ of agents, possibly equal to the null sequence ϵ , is called an *index* if $i_l \neq i_{l+1}$ for all $l < k$. We write $|\sigma|$ for the length k of such a sequence; the null sequence has length equal to 0.

If S is a set, and S^* is the set of all finite sequences over S , we define the absorptive concatenation function $\#$ from $S^* \times S$ to S^* as follows. Given a sequence σ in S^* and an element x of S , we take $\sigma\#x = \sigma$ if the final element of σ is x . If the final element of σ is not equal to x then we take $\sigma\#x$ to be σx , i.e. the result of concatenating x

to σ . We write simply $x_1\#x_2\#x_3\dots\#x_n$ for $(\dots((x_1\#x_2)\#x_3)\dots)\#x_n$. We shall have two distinct uses for this function, applying it primarily to sequences of agents, and sometimes to sequences of “instantaneous states” of agents in the context of asynchronous systems.

If $\psi \in CKL_m$, for each $k \geq 0$, we define the k -closure $cl_k(\psi)$, and for each agent i , we define the k, i -closure $cl_{k,i}(\psi)$. The definition of these sets proceeds by mutual recursion: First, we let the *basic closure* $cl_0(\psi)$ be the smallest set containing ψ that is closed under subformulas, contains $\neg\varphi$ if it contains φ and φ is not of the form $\neg\varphi'$, contains $EC\varphi$ if it contains $C\varphi$, and contains $K_1\varphi, \dots, K_m\varphi$ if it contains $E\varphi$. (Of course, the last two clauses do not apply if ψ is in KL_m , and thus does not mention common knowledge.) If i is an agent, we take $cl_{k,i}(\psi)$ to be the union of $cl_k(\psi)$ with the set of formulas of the form $K_i(\varphi_1 \vee \dots \vee \varphi_n)$ or $\neg K_i(\varphi_1 \vee \dots \vee \varphi_n)$, where the φ_l are distinct formulas in $cl_k(\psi)$. (It is not necessary to close under subformulas here, since the disjunctions in these formulas are already “decided” in the sense defined below.) Finally, $cl_{k+1}(\psi)$ is defined to be $\cup_{i=1}^m cl_{k,i}(\psi)$.

If X is a finite set of formulas we write φ_X for the conjunction of the formulas in X . A finite set X of formulas is said to be consistent if φ_X is consistent. If X is a finite set of formulas and φ is a formula we write $X \Vdash \varphi$ when $\vdash \varphi_X \Rightarrow \varphi$.³ A finite set Cl of formulas is set to be *negation closed* if, for all $\varphi \in Cl$, either $\neg\varphi \in Cl$ or φ is of the form $\neg\varphi'$ and $\varphi' \in Cl$. (Note that the sets $cl_k(\psi)$ and $cl_{k,i}(\psi)$ are negation closed.) We define an *atom* of Cl to be a maximal consistent subset of Cl .

The following lemma collects a number of obvious facts that we typically use without comment.

LEMMA 4.1. *Suppose that X is a finite set of formulas and Cl is a negation-closed set of formulas.*

- (a) *If $X \Vdash \varphi_1$ and $\vdash \varphi_1 \Rightarrow \varphi_2$ then $X \Vdash \varphi_2$.*
- (b) *If X is an atom of Cl and $\varphi \in Cl$, then either $X \Vdash \varphi$ or $X \Vdash \neg\varphi$.*
- (c) *If \vdash denotes provability in a proof system containing K1 and R1, then $\vdash \bigvee_{X \text{ an atom of } Cl} \varphi_X$.*

Proof. All parts of the lemma are quite easy. We remark that (c) follows from the observation that $\bigvee_{X \text{ an atom of } Cl} \varphi_X$ is equivalent to *true*, which can be easily proved using only propositional reasoning (K1 and R1). \square

We begin the construction of the model of ψ by first constructing a *pre-model*, which is a structure $\langle S, \rightarrow, \approx_1, \dots, \approx_n \rangle$ consisting of a set S of states, a binary relation \rightarrow on S , and for each agent i an equivalence relation \approx_i on S . Recall from Section 2 that for a formula $\varphi \in KL_m$, the alternation depth $ad(\varphi)$ is the number of alternations of distinct operators K_i in φ . Let $d = ad(\psi)$ if $\psi \in KL_m$; otherwise (that is, if ψ mentions the modal operator C), let $d = 0$.

The set S consists of all the pairs (σ, X) such that σ is an index, $|\sigma| \leq d$, and

1. if $\sigma = \epsilon$ then X is an atom of $cl_d(\psi)$, and
2. if $\sigma = \tau i$ then X is an atom of $cl_{k,i}(\psi)$, where $k = d - |\sigma|$.

We can partition the set S of states into sets S_σ according to the first component; that is, $S_\sigma = \{(\sigma, X) \mid (\sigma, X) \in S\}$. The indices σ put a tree-like structure on this collection. Note that as $|\sigma|$ decreases, the size of the closure from which the atoms X are drawn increases.

The relation \rightarrow is defined so that $(\sigma, X) \rightarrow (\tau, Y)$ iff $\tau = \sigma$ and the formula

³Note that $X \Vdash \varphi$ is not equivalent to $X \vdash \varphi$ (under perhaps the most natural definition of \vdash with sets of formulas on the left-hand side) because of generalization rules like R2 and RT1. For example, although $\varphi \vdash K_i\varphi$, it is not the case that $\vdash \varphi \Rightarrow K_i\varphi$.

$\varphi_X \wedge \bigcirc \varphi_Y$ is consistent. If X is an atom we write X/K_i for the set of formulas φ such that $K_i\varphi \in X$. We say that states (σ, X) and (τ, Y) are *i-adjacent* if $\sigma\#i = \tau\#i$. The relation \approx_i is defined so that $(\sigma, X) \approx_i (\tau, Y)$ iff σ and τ are *i-adjacent* and $X/K_i = Y/K_i$. Clearly, *i-adjacency* is an equivalence relation, as is the relation \approx_i .

A σ -state (for ψ) is a pair (σ, X) as above. A state (for ψ) is a σ -state for some index σ with $|\sigma| \leq d$. Thus (σ, X) is the unique σ -state with atom X . If $s = (\sigma, X)$ is a state, we define φ_s to be the formula φ_X , and write $s \Vdash \varphi$ for $\vdash \varphi_s \Rightarrow \varphi$. We say that the state s *directly decides* a formula φ if either (a) $\varphi \in X$, (b) $\neg\varphi \in X$, or (c) $\varphi = \neg\varphi'$ and $\varphi' \in X$. We say that s *decides* φ if either $s \Vdash \varphi$ or $s \Vdash \neg\varphi$. Clearly, if s directly decides φ then s decides φ . Note that if $\sigma = \tau i$ then, by Lemma 4.1(b), each σ -state directly decides every formula in $cl_{d-|\sigma|,i}(\psi)$. Also, every ϵ -state directly decides every formula in $cl_d(\sigma)$.

LEMMA 4.2. *If s and t are i-adjacent states, then the same formulas of the form $K_i\varphi$ are directly decided by s and t .*

Proof. Suppose that s and t are *i-adjacent*, $s = (\sigma, X)$ and $t = (\tau, Y)$. By definition, we have that either (i) $\sigma = \tau$, (ii) $\sigma = \tau i$, or (iii) $\sigma i = \tau$. Clearly if $\sigma = \tau$, then s and t directly decide the same formulas (and, *a fortiori*, the same formulas of the form $K_i\varphi$) since they are both maximal consistent subsets of the same set of formulas. If $\sigma \neq \tau$, then either $\sigma = \tau i$ or $\tau = \sigma i$. By symmetry, it suffices to deal with the case $\sigma = \tau i$. By definition, s directly decides the K_i -formulas in $cl_{d-|\sigma|,i}(\psi)$, while t directly decides the K_i -formulas in $cl_{d-|\tau|,j}(\psi)$ if $\tau = \tau' j$ or $cl_d(\psi)$ if $\tau = \epsilon$. Thus, it suffices to show that, for all formulas φ and agents j , we have that $K_i\varphi \in cl_{k,i}(\psi)$ iff $K_i\varphi \in cl_{k+1,j}$ if $k < d-1$ and that $K_i\varphi \in cl_{d-1,i}(\psi)$ iff $K_i\varphi \in cl_d(\psi)$. This is immediate from the definitions. \square

If s is a σ -state, we take $\Phi_{s,i}$ to be the disjunction of the formulas φ_t , where t ranges over the σ -states satisfying $s \approx_i t$, and we take $\Phi_{s,i}^+$ to be the disjunction of the formulas φ_t , where t ranges over the $(\sigma\#i)$ -states satisfying $s \approx_i t$.⁴ Observe that because \approx_i is an equivalence relation we have that if $s \approx_i t$ then $\Phi_{s,i} = \Phi_{t,i}$ and $\Phi_{s,i}^+ = \Phi_{t,i}^+$. The following result lists a number of knowledge formulas decided by states.

LEMMA 4.3.

- (a) *If s is a σ -state and t is a σ -state or $(\sigma\#i)$ -state such that $s \not\approx_i t$, then $s \Vdash K_i\neg\varphi_t$.*
- (b) *For all σ -states s , we have $s \Vdash K_i\Phi_{s,i}$; in addition, if $|\sigma\#i| \leq d$, then $s \Vdash K_i\Phi_{s,i}^+$.*
- (c) *For all σ -states s and $(\sigma\#i)$ -states t with $s \approx_i t$, we have $s \Vdash L_i\varphi_t$.*
- (d) *If s is a σ -state and t is a $(\sigma\#i)$ -state such that $s \not\approx_i t$, then $t \Vdash \neg K_i\Phi_{s,i}^+$.*

Proof. For (a), suppose that $s \not\approx_i t$, where $s = (\sigma, X)$ and $t = (\tau, Y)$, where τ is either σ or $\sigma\#i$. Then $X/K_i \neq Y/K_i$ so either there exists a formula $K_i\varphi \in X$ such that $K_i\varphi \notin Y$ or there exists a formula $K_i\varphi \in Y$ such that $K_i\varphi \notin X$. As the states s and t are *i-adjacent*, by Lemma 4.2, in either case the formula $K_i\varphi$ is directly decided by both the states s and t . In the first case, since $K_i\varphi \notin Y$ and $K_i\varphi$ is directly decided by t , it follows that $\neg K_i\varphi \in Y$, and hence that $\vdash \varphi_t \Rightarrow \neg K_i\varphi$. Using R2, it follows that $\vdash K_i(K_i\varphi \Rightarrow \neg\varphi_t)$. By K4 we obtain from the fact that $K_i\varphi \in X$ that $s \Vdash K_i K_i\varphi$. It now follows using K2 that $s \Vdash K_i\neg\varphi_t$. In the second case, we have that $\vdash \varphi_t \Rightarrow K_i\varphi$, hence, using R2, that $\vdash K_i(\neg K_i\varphi \Rightarrow \neg\varphi_t)$. By K4 we

⁴It can be shown that if $|\sigma\#i| \leq d$, then $\Phi_{s,i}$ is logically equivalent to $\Phi_{s,i}^+$, but we do not need this fact here.

obtain from the fact that $\neg K_i \varphi \in X$ that $s \Vdash K_i \neg K_i \varphi$. It now follows using K2 that $s \Vdash K_i \neg \varphi_t$.

For (b), by Lemma 4.1(c), we have that $\vdash \bigvee_{X \text{ an atom of } cl_{k,i}(\psi)} \varphi_X$. Hence, by R2 we obtain that $\vdash K_i \bigvee_{\sigma\text{-states } t} \varphi_t$. It follows from this using (a) and K2 that $s \Vdash K_i \Phi_{s,i}$. If $|\sigma\#i| \leq d$, then a similar argument shows that $s \Vdash K_i \Phi_{s,i}^+$.

For (c), suppose that $s = (\sigma, X) \approx_i (\sigma\#i, Y) = t$ and $k = d - |\sigma\#i|$. We claim first that if $W = Y \cap cl_k(\psi)$, then $s \Vdash K_i \neg \varphi_t \Leftrightarrow K_i \neg \varphi_W$. This is because the fact that Y is a subset of $cl_{k,i}(\psi)$ implies that all formulas φ in $Y \setminus W$ are of the form $K_i \varphi'$ or $\neg K_i \varphi'$, hence $\varphi \in X$ if and only if $\varphi \in Y$. Also, by K4 and K5 we have that $s \Vdash K_i K_i \varphi'$ when $K_i \varphi' \in X$ and $s \Vdash K_i \neg K_i \varphi'$ when $K_i \varphi' \notin X$. It follows using K2 that $s \Vdash K_i \varphi_{Y \setminus W}$. Since φ_t is equivalent to $\varphi_W \wedge \varphi_{Y \setminus W}$, we obtain using K2 that $s \Vdash K_i \neg \varphi_t \Leftrightarrow K_i \neg \varphi_W$.

Now by K3 we have $\vdash \varphi_t \Rightarrow L_i \varphi_t$. Further, the argument of the previous paragraph also shows $t \Vdash K_i \neg \varphi_t \Leftrightarrow K_i \neg \varphi_W$, so we obtain that $t \Vdash L_i \varphi_W$. But $\neg \varphi_W$ is equivalent to the disjunction of a subset $\{\varphi_1, \dots, \varphi_n\}$ of $cl_k(\psi)$. Let α be the formula $K_i(\varphi_1 \vee \dots \vee \varphi_n)$, which is equivalent to $K_i \neg \varphi_W$. It follows from the definition of $cl_{k,i}(\psi)$ that α is in $cl_{k,i}(\psi)$, hence directly decided by both t and s . Consequently, α is not in Y , since $t \Vdash \neg \alpha$. Because $X/K_i = Y/K_i$, the formula α is not in X either, so $s \Vdash \neg \alpha$. Applying the fact that α is equivalent to $K_i \neg \varphi_W$, we see that $s \Vdash L_i \varphi_W$. The equivalence of the previous paragraph now yields that $s \Vdash L_i \varphi_t$.

For (d), note that if t and v are distinct $(\sigma\#i)$ -states then $t \Vdash \neg \varphi_v$. Thus, if s is a σ -state such that $s \not\approx_i t$ then $t \Vdash \neg \Phi_{s,i}^+$, which implies, using K3, that $t \Vdash \neg K_i \Phi_{s,i}^+$. \square

If T is a set of states, then we write φ_T for the disjunction of the formulas φ_t for t in T . Using RT1, T1, and T2, the following result is immediate from the fact that $s \not\rightarrow t$ implies $\vdash \varphi_s \Rightarrow \neg \bigcirc \varphi_t$, together with the fact that $\vdash \bigvee_{s \text{ a } \sigma\text{-state}} \varphi_s$, which follows from Lemma 4.1(c).

LEMMA 4.4. *Let s be a state and let T be the set of states t such that $s \rightarrow t$. Then $s \Vdash \bigcirc \varphi_T$*

The next result provides a useful way to derive formulas containing the until operator.

LEMMA 4.5. *For all formulas α, β and γ , if $\vdash \alpha \Rightarrow (\neg \gamma \wedge \bigcirc(\alpha \vee (\neg \beta \wedge \neg \gamma)))$ then $\vdash \alpha \Rightarrow \neg(\beta U \gamma)$.*

Proof. Suppose that $\vdash \alpha \Rightarrow \neg \gamma \wedge \bigcirc(\alpha \vee (\neg \beta \wedge \neg \gamma))$. By T3, we obtain that $\vdash \alpha \wedge (\beta U \gamma) \Rightarrow \neg \gamma \wedge \bigcirc(\beta U \gamma) \wedge \bigcirc(\alpha \vee (\neg \beta \wedge \neg \gamma))$. Since, by T3 again, $\vdash \beta U \gamma \Rightarrow \neg(\neg \beta \wedge \neg \gamma)$, it follows using T1 and RT1 that $\vdash \alpha \wedge (\beta U \gamma) \Rightarrow \neg \gamma \wedge \bigcirc(\alpha \wedge (\beta U \gamma))$. Now using RT2 we obtain $\vdash \alpha \wedge (\beta U \gamma) \Rightarrow \neg(\beta U \gamma)$, which implies that $\vdash \alpha \Rightarrow \neg(\beta U \gamma)$. \square

The following shows that the pre-model has properties resembling those for the truth definitions for formulas in the basic closure. Note that every state directly decides all formulas in the basic closure. Define a \rightarrow -sequence of states to be a (finite or infinite) sequence s_1, s_2, \dots such that $s_1 \rightarrow s_2 \rightarrow \dots$.

LEMMA 4.6. *For all σ -states s , we have*

- (a) *if $\bigcirc \varphi \in cl_0(\psi)$, then for all states t such that $s \rightarrow t$, we have $s \Vdash \bigcirc \varphi$ iff $t \Vdash \varphi$,*
- (b) *If $K_i \varphi \in cl_0(\psi)$, then $s \Vdash \neg K_i \varphi$ iff there is some σ -state t such that $s \approx_i t$ and $t \Vdash \neg \varphi$. Moreover, if $|\sigma\#i| \leq d$, then $s \Vdash \neg K_i \varphi$ iff there is some $(\sigma\#i)$ -state t such that $s \approx_i t$ and $t \Vdash \neg \varphi$.*
- (c) *if $\varphi_1 U \varphi_2 \in cl_0(\psi)$ then $s \Vdash \varphi_1 U \varphi_2$ iff there exists a \rightarrow -sequence $s = s_0 \rightarrow$*

$s_1 \rightarrow \dots \rightarrow s_n$, where $n \geq 0$, such that $s_n \Vdash \varphi_2$, and $s_k \Vdash \varphi_1$ for all $k < n$.

Proof. For part (a), suppose first that $s \Vdash \bigcirc\varphi$ and $s \rightarrow t$. Since $\varphi \in cl_0(\psi)$, it follows that $t \Vdash \varphi$ or $t \Vdash \neg\varphi$. But, by T1 and T2, the latter would contradict the assumption that $\varphi_s \wedge \bigcirc\varphi_t$ is consistent. Hence we have $t \Vdash \varphi$. Conversely, suppose that $s \rightarrow t$ and $t \Vdash \varphi$. Using T1, we have $\vdash \bigcirc\varphi_t \Rightarrow \bigcirc\varphi$. Since $\bigcirc\varphi \in cl_0(\psi)$ we have either $s \Vdash \bigcirc\varphi$ or $s \Vdash \neg\bigcirc\varphi$. But the latter would contradict $s \rightarrow t$, so we obtain $s \Vdash \bigcirc\varphi$.

For the “if” direction of part (b), note that the fact that $K_i\varphi$ is in $cl_0(\psi)$ implies that if $s \approx_i t$ and $s \Vdash K_i\varphi$, then $t \Vdash K_i\varphi$, hence $t \Vdash \varphi$ by K3. For the converse, suppose that $t \Vdash \varphi$ for all σ -states t with $s \approx_i t$. Then $\vdash \Phi_{s,i} \Rightarrow \varphi$, hence $\vdash K_i\Phi_{s,i} \Rightarrow K_i\varphi$, using K2 and R2. By Lemma 4.3(b), we have $s \Vdash K_i\Phi_{s,i}$. It follows immediately that $s \Vdash K_i\varphi$. If $|\sigma\#i| \leq d$, a similar argument shows that if $t \Vdash \varphi$ for all $(\sigma\#i)$ -states t such that $s \approx_i t$, then $s \Vdash K_i\varphi$.

For part (c), note that if $\varphi_1 U \varphi_2$ is in $cl_0(\psi)$, then every state directly decides each of the formulas φ_1 , φ_2 , and $\varphi_1 U \varphi_2$. We first show that if there exists a sequence of states $s = s_0 \rightarrow s_1 \rightarrow \dots \rightarrow s_n$ such that $s_n \Vdash \varphi_2$ and $s_k \Vdash \varphi_1$ for all $k < n$ then $s \Vdash \varphi_1 U \varphi_2$. We proceed by induction on n . The case $n = 0$ is immediate from T3. For the general case, notice that it follows from the induction hypothesis that $s_1 \Vdash (\varphi_1 U \varphi_2)$. Since $s_0 \rightarrow s_1$, it follows that $\varphi_{s_0} \wedge \bigcirc(\varphi_1 U \varphi_2)$ is consistent. By assumption, we also have $s_0 \Vdash \varphi_1$. Using T3, we see that $s_0 \Vdash \neg(\varphi_1 U \varphi_2)$ would be a contradiction. Hence $s_0 \Vdash \varphi_1 U \varphi_2$.

The converse follows immediately from Lemma 4.7 below. \square

LEMMA 4.7. *If $\varphi_s \wedge (\varphi_1 U \varphi_2)$ is consistent, then there exists a \rightarrow -sequence $s = s_0 \rightarrow s_1 \rightarrow \dots \rightarrow s_n$, such that $\varphi_{s_n} \wedge \varphi_2$ is consistent, and $\varphi_{s_k} \wedge \varphi_1$ is consistent for all $k < n$.*

Proof. Suppose by way of contradiction that $\varphi_s \wedge (\varphi_1 U \varphi_2)$ is consistent and no appropriate \rightarrow -sequence exists. Let T be the smallest set S of states such that (i) $s \in S$, and (ii) if $t \in S$, $t \rightarrow u$, and $s_u \wedge \varphi_1$ is consistent, then $u \in S$. Then we have that $t \Vdash \neg\varphi_2$ for all $t \in T$, so $\vdash \varphi_T \Rightarrow \neg\varphi_2$. In addition, for each $t \in T$ and state u such that $t \rightarrow u$, we have either $u \in T$ or $u \Vdash \neg\varphi_1 \wedge \neg\varphi_2$. Thus, using Lemma 4.4, we obtain $\vdash \varphi_T \Rightarrow \bigcirc(\varphi_T \vee (\neg\varphi_1 \wedge \neg\varphi_2))$. It now follows using Lemma 4.5 that $\vdash \varphi_T \Rightarrow \neg(\varphi_1 U \varphi_2)$. In particular, since $s \in T$, we have $s \Vdash \neg(\varphi_1 U \varphi_2)$, which contradicts the assumption that $\varphi_s \wedge (\varphi_1 U \varphi_2)$ is consistent. \square

For the next result, recall that when the formula ψ contains the common knowledge operator we take $d = 0$, so that all states are ϵ -states.

LEMMA 4.8. *If $C\varphi \in cl_0(\psi)$, then $s \Vdash \neg C\varphi$ iff there is a state t reachable from s through the relations \approx_i such that $t \Vdash \neg\varphi$.*

Proof. The implication from right to left is a straightforward consequence of the fact that if $t \Vdash \neg\varphi$ then $t \Vdash \neg C\varphi$, by C1, C2 and K3, together with the fact that if $t \approx_i t'$, then $t \Vdash C\varphi$ if and only if $t' \Vdash C\varphi$. (Proof of the latter fact: If $t \Vdash C\varphi$ then $t \Vdash K_i C\varphi$ by C1 and C2. Hence, since $t \approx_i t'$ and $K_i C\varphi \in cl_0(\psi)$, we must have $t' \Vdash C\varphi$. The opposite direction follows symmetrically.) This leaves only the implication from left to right, for which we prove the contrapositive. Suppose that no state containing $\neg\varphi$ is reachable from s by means of a sequence of steps through the relations \approx_i . Let T be the set of states reachable from s . By Lemma 4.3(a), if t and t' are states with $t \not\approx_i t'$ then $t \Vdash K_i \neg\varphi_{t'}$. It follows from this that $t \Vdash K_i \varphi_T$ for every state $t \in T$ and agent i . Thus, because $\vdash \varphi_T \Rightarrow \varphi$ we have $\vdash \varphi_T \Rightarrow E(\varphi_T \wedge \varphi)$. By RC1 it follows that $\vdash \varphi_T \Rightarrow C\varphi$. Since $s \in T$, it is immediate that $s \Vdash C\varphi$. \square

We say that an infinite \rightarrow -sequence of states (s_0, s_1, \dots) , where $s_n = (\sigma, X_n)$ for all n , is *acceptable* if for all $n \geq 0$, if $\varphi_1 U \varphi_2 \in X_n$ then there exists an $m \geq n$ such that $s_m \Vdash \varphi_2$ and $s_k \Vdash \varphi_1$ for all k with $n \leq k < m$.

DEFINITION 4.9. An enriched system for ψ is a pair (\mathcal{R}, Σ) , where \mathcal{R} is a set of runs and Σ is a partial function mapping points in $\mathcal{R} \times \mathbb{N}$ to states for ψ such that the following hold, for all runs $r \in \mathcal{R}$:

1. If $\Sigma(r, n)$ is defined then $\Sigma(r, n')$ is defined for all $n' > n$, and $\Sigma(r, n), \Sigma(r, n+1), \dots$ is an acceptable \rightarrow -sequence.
2. For all points $(r, n) \sim_i (r', n')$, if $\Sigma(r, n)$ is defined then $\Sigma(r', n')$ is defined and $\Sigma(r, n) \approx_i \Sigma(r', n')$.
3. If $\Sigma(r, n)$ and s are σ -states such that $\Sigma(r, n) \approx_i s$, then there exists a point (r', n') such that $(r, n) \sim_i (r', n')$ and $\Sigma(r', n') = s$.
4. If $C\varphi \in cl_0(\psi)$ and $\Sigma(r, n) \Vdash \neg C\varphi$, then there exists a point (r', n') reachable from (r, n) such that $\Sigma(r', n') \Vdash \neg\varphi$.

An enriched⁺ system for ψ is a pair (\mathcal{R}, Σ) satisfying Conditions 1, 2, and the following modification of 3:

- 3'. If $\Sigma(r, n)$ is a σ -state and s is a $(\sigma \# i)$ -state such that $\Sigma(r, n) \approx_i s$, then there exists a point (r', n') such that $(r, n) \sim_i (r', n')$ and $\Sigma(r', n') = s$.

□

Intuitively, in an enriched (resp., enriched⁺) system, the points where Σ is defined are the points that are “relevant” to the truth of certain formulas at certain points.

Given an enriched (resp., enriched⁺) system (\mathcal{R}, Σ) , we obtain an interpreted system $\mathcal{I} = (\mathcal{R}, \pi)$ by defining the valuation π on basic propositions p by $\pi(r, n)(p) = \mathbf{true}$ just when $\Sigma(r, n)$ is defined and $\Sigma(r, n) \Vdash p$.⁵ The following theorem gives a sufficient condition for a formula in the basic closure to hold at a point in this standard system. If σ is the index $i_1 \dots i_k$, let $K_\sigma\varphi$ be an abbreviation for $K_{i_1} \dots K_{i_k}\varphi$. (If $\sigma = \epsilon$, then we take $K_\sigma\varphi$ to be φ .)

THEOREM 4.10.

- (a) If (\mathcal{R}, Σ) is an enriched system for ψ , \mathcal{I} is the associated interpreted system, φ is in the basic closure $cl_0(\psi)$, and $\Sigma(r, n)$ is defined, then $(\mathcal{I}, r, n) \models \varphi$ if and only if $\Sigma(r, n) \Vdash \varphi$.
- (b) If (\mathcal{R}, Σ) is an enriched⁺ system for $\psi \in KL_m$, \mathcal{I} is the associated standard system, φ is in the basic closure $cl_0(\psi)$, $\Sigma(r, n)$ is a σ -state, and $ad(K_\sigma\varphi) \leq d$, then $(\mathcal{I}, r, n) \models \varphi$ if and only if $\Sigma(r, n) \Vdash \varphi$.

Proof. We first prove part (a). We proceed by induction on the complexity of φ . If φ is a propositional constant then the result is immediate from the definition of \mathcal{I} . The cases where φ is of the form $\neg\varphi_1$ or $\varphi_1 \wedge \varphi_2$ are similarly trivial. This leaves five cases:

Case 1: Suppose that φ is of the form $\bigcirc\varphi_1$. Then $(\mathcal{I}, r, n) \models \varphi$ if and only if $(\mathcal{I}, r, n+1) \models \varphi_1$. Note that $\Sigma(r, n+1)$ must be defined by Condition 1 of Definition 4.9. Since φ_1 is a subformula of φ it is in $cl_0(\psi)$, so it follows by the induction hypothesis that $(\mathcal{I}, r, n+1) \models \varphi_1$ holds precisely when $\Sigma(r, n+1) \Vdash \varphi_1$. By Condition 1, $\Sigma(r, n) \rightarrow \Sigma(r, n+1)$, so we obtain from Lemma 4.6(a) that $\Sigma(r, n+1) \Vdash \varphi_1$ if and only if $\Sigma(r, n) \Vdash \bigcirc\varphi_1$. Putting the pieces together, we get $(\mathcal{I}, r, n) \models \varphi$ if and only if $\Sigma(r, n) \Vdash \varphi$.

Case 2: Suppose that φ is of the form $\varphi_1 U \varphi_2$. Then the subformulas φ_1 and φ_2 are also in $cl_0(\psi)$. Note also that by Condition 1 of Definition 4.9, $\Sigma(r, n')$ is

⁵This definition makes p false at points where Σ is undefined. We could just as well have made p true at such points, without changing our results.

defined for all $n' \geq n$, and $\Sigma(r, n), \Sigma(r, n+1), \dots$ is an acceptable \rightarrow -sequence. Thus, if $\Sigma(r, n) \Vdash \varphi_1 U \varphi_2$ then, by the definition of acceptability, there exists some $n' \geq n$ such that $\Sigma(r, n') \Vdash \varphi_2$ and $\Sigma(r, k) \Vdash \varphi_1$ for $n \leq k < n'$. By the induction hypothesis, this implies that $(\mathcal{I}, r, n') \models \varphi_2$ and $(\mathcal{I}, r, k) \models \varphi_1$ for $n \leq k < n'$. In other words, we have $(\mathcal{I}, r, n) \models \varphi_1 U \varphi_2$. Conversely, if $(\mathcal{I}, r, n) \models \varphi_1 U \varphi_2$, then by the induction hypothesis and the semantics of U we have that there exists some $n' \geq n$ such that $\Sigma(r, n') \Vdash \varphi_2$ and $\Sigma(r, k) \Vdash \varphi_1$ for $n \leq k < n'$. Since $\Sigma(r, n) \rightarrow \Sigma(r, n+1) \rightarrow \dots \rightarrow \Sigma(r, n')$, it follows using Lemma 4.6(c) that $\Sigma(r, n) \Vdash \varphi_1 U \varphi_2$.

Case 3: Suppose that φ is of the form $K_i \varphi_1$. We first show that $\Sigma(r, n) \Vdash K_i \varphi_1$ implies $(\mathcal{I}, r, n) \models K_i \varphi_1$. Assume $\Sigma(r, n) \Vdash K_i \varphi_1$ and suppose that $(r, n) \sim_i (r', n')$. Then by Condition 2 of Definition 4.9, we have that $\Sigma(r', n')$ is defined and $\Sigma(r, n) \approx_i \Sigma(r', n')$. Since $K_i \varphi \in cl_0(\psi)$ we obtain $\Sigma(r, n') \Vdash K_i \varphi_1$. By K3 this implies $\Sigma(r, n') \Vdash \varphi_1$. Since $\varphi \in cl_0(\psi)$, by the induction hypothesis, we obtain that $(\mathcal{I}, r', n') \models \varphi_1$. This shows that $(\mathcal{I}, r', n') \models \varphi_1$ for all points $(r', n') \sim_i (r, n)$. That is, we have $(\mathcal{I}, r, n) \models K_i \varphi_1$.

For the converse, suppose that $\Sigma(r, n) \Vdash \neg K_i \varphi_1$ and that $\Sigma(r, n)$ is a σ -state. By Lemma 4.6(b), there exists a σ -state t such that $\Sigma(r, n) \approx_i t$ and $t \Vdash \neg \varphi_1$. By Condition 3 of Definition 4.9, there exists a point (r', n') such that $(r, n) \sim_i (r', n')$ and $\Sigma(r', n') = t$. Using the induction hypothesis we obtain that $(\mathcal{I}, r', n') \models \neg \varphi_1$. It follows that $(\mathcal{I}, r, n) \models \neg K_i \varphi_1$.

Case 4: If φ is of the form $E \varphi_1$, the result follows easily from the induction hypothesis, using axiom C1.

Case 5: Suppose φ is of the form $C \varphi_1$. By Condition 2 of Definition 4.9 we have that $\Sigma(r', n')$ is defined for all (r', n') reachable from (r, n) . An easy induction on the length of the path from (r, n) to (r', n') , using the fact that $K_i C \varphi_1$ is in the basic closure and axioms C1, C2, and K3, can be used to show that $\Sigma(r', n') \Vdash C \varphi_1$ for each point (r', n') reachable from (r, n) . Using C1, C2, and K3, it is easy to see that $\Sigma(r', n') \Vdash \varphi_1$. By the induction hypothesis, this implies that $(\mathcal{I}, r', n') \models \varphi_1$. Thus, $(\mathcal{I}, r, n) \models C \varphi_1$.

For the converse, suppose that $\Sigma(r, n) \Vdash \neg C \varphi_1$. Then by Condition 4 of Definition 4.9, we have $\Sigma(r', n') \Vdash \neg \varphi_1$ for some point (r', n') reachable from (r, n) . By the induction hypothesis, we have that $(\mathcal{I}, r', n') \models \neg \varphi_1$, and hence $(\mathcal{I}, r, n) \models \neg C \varphi_1$.

For part (b), since $\psi \in KL_m$, we only need to check the analogues of Cases 1, 2, and 3 above. The proofs in cases 1 and 2 are identical to those above. The proof of Case 3 is also quite similar, but we must be a little careful in applying the inductive hypothesis. So suppose that φ is of the form $K_i \varphi_1$, $\Sigma(r, n)$ is a σ -state, and $ad(K_\sigma \varphi) \leq d$. The implication from left to right, showing that if $\Sigma(r, n) \Vdash K_i \varphi$ then $(\mathcal{I}, r, n) \models K_i \varphi$ is identical to that above. We just need the observation that if $(r, n) \sim_i (r', n')$, then $\Sigma(r', n')$ is a τ -state, where $\tau \# i = \sigma \# i$. It follows that $ad(K_\tau \varphi) \leq ad(K_{\sigma \# i} \varphi) \leq ad(K_\sigma K_i \varphi) \leq d$, so we can apply the inductive hypothesis to conclude that $(\mathcal{I}, r', n') \models \varphi_1$. For the converse, the proof is again similar. Note that if $ad(K_\sigma K_i \varphi) \leq d$, then $|\sigma \# i| \leq d$, so by Lemma 4.6(b), there exists a $(\sigma \# i)$ -state t such that $\Sigma(r, n) \approx_i t$ and $t \Vdash \neg \varphi_1$. By Condition 3' of Definition 4.9, there exists a point (r', n') such that $(r, n) \sim_i (r', n')$ and $\Sigma(r', n') = t$. Since $ad(K_{\sigma \# i} \varphi) = ad(K_\sigma K_i \varphi) \leq d$, using the induction hypothesis we obtain that $(\mathcal{I}, r', n') \models \neg \varphi_1$. It follows that $(\mathcal{I}, r, n) \models \neg K_i \varphi_1$. \square

COROLLARY 4.11. *If (\mathcal{R}, Σ) is an enriched (resp., enriched⁺) system for ψ , \mathcal{I} is the associated interpreted system, and (r, n) is a point of \mathcal{I} such that $\Sigma(r, n)$ is an ϵ -state and $\Sigma(r, n) \Vdash \psi$, then $(\mathcal{I}, r, n) \models \psi$.*

We apply this corollary in all our completeness proofs, constructing an appropriate enriched or enriched⁺ system in all cases.

5. Proofs of Soundness and Completeness. We are now in a position to prove the completeness results claimed in Section 3. Sections 5.1-5.3 will deal with the cases involving only perfect recall, synchrony and unique initial states. The cases involving no learning are a little more complex, and are dealt with in Sections 5.4-5.7.

5.1. Dealing with \mathcal{C}_m , \mathcal{C}_m^{sync} , \mathcal{C}_m^{uis} , and $\mathcal{C}_m^{sync,uis}$ (Theorems 3.1 and 3.2).

The fact that $S5C_m^U$ is sound for \mathcal{C}_m , the class of all systems, is straightforward and left to the reader (see also [1]). To prove completeness of $S5C_m^U$ for the language KL_m and of $S5C_m^U$ for the language CKL_m with respect to \mathcal{C}_m , \mathcal{C}_m^{sync} , \mathcal{C}_m^{uis} , and $\mathcal{C}_m^{sync,uis}$, we construct an enriched system, and use Corollary 4.11. The proof proceeds in the same way whether or not common knowledge is in the language. We assume here that the language includes common knowledge and that we are dealing with the axiom system $S5C_m^U$ when constructing the states in the enriched structure. Recall that in this case we work with ϵ -states only.

The following result suffices for the generation of the acceptable sequences required for the construction of an enriched system in the cases not involving no learning; a more complex construction will be required in the presence of no learning.

LEMMA 5.1. *Every finite \rightarrow -sequence of states can be extended to an infinite acceptable sequence.*

Proof. First note that for every σ -state s there exists a state t with $s \rightarrow t$. For otherwise, $s \Vdash \neg \bigcirc \varphi_t$ for all σ -states t , which contradicts $\vdash \bigcirc \bigvee_{t \text{ a } \sigma\text{-state}} \varphi_t$. (Note that $\vdash \bigcirc \bigvee_{t \text{ a } \sigma\text{-state}} \varphi_t$ follows from Lemma 4.1(c) and RT1.) Thus every finite sequence of states can be extended to an infinite sequence, and it remains to show that the obligations arising from the until formulas can be satisfied.

Suppose the finite \rightarrow -sequence is $s_0 \rightarrow \dots \rightarrow s_n$, where $s_k = (\sigma, X_k)$ for $k = 1 \dots n$. Now, for any formula $\varphi_1 U \varphi_2 \in X_0$, it follows using T3 and the fact that the s_i directly decide each of the formulas φ_1 , φ_2 , and $\varphi_1 U \varphi_2$ that either the obligation imposed by $\varphi_1 U \varphi_2$ at s_0 is already satisfied in the sequence (s_0, \dots, s_n) , or else $s_n \Vdash \varphi_1 U \varphi_2$ and $s_k \Vdash \varphi_1$ for $0 \leq k \leq n$. In the latter case, by Lemma 4.6(c), there exists a sequence $s_n \rightarrow s_{n+1} \rightarrow \dots \rightarrow s_{n'}$ such that $s_{n'} \Vdash \varphi_2$ and $s_k \Vdash \varphi_1$ for $n \leq k < n'$. This gives a finite extension of the original sequence that satisfies the obligation imposed by $\varphi_1 U \varphi_2$ at s_0 . Applying this argument to the remaining obligations at s_0 , we eventually obtain a finite sequence that satisfies all the obligations at s_0 . We may then move on to s_1 and apply the same procedure. It is clear that in the limit we obtain an acceptable sequence extending the original sequence. \square

For each agent i , let O_i be the function that maps the state (σ, U) to the pair $(\sigma \# i, U/K_i)$. O_i is also used later in our other constructions. Given a state s , we call $O_i(s)$ agent i 's *current information* at s . Let x be a new object not equal to any state. We say that a sequence $S = (x, x, \dots, x, s_N, s_{N+1}, \dots)$ is an *acceptable sequence from N* if it starts with N copies of x and the suffix (s_N, s_{N+1}, \dots) is an acceptable \rightarrow -sequence of states for ψ . Given a sequence S acceptable from N , we define a run r as follows. For each agent i , take $r_i(n) = (n, S)$ when $n < N$ and $r_i(n) = (n, O_i(s_n))$ otherwise. For the environment component e , take $r_e(n) = S_n$ (so that $r_e(n) = x$ if $n < N$ and $r_e(n) = s_n$ for $n \geq N$).

Let \mathcal{R}^{sync} be the set of all runs so obtained, and define the partial function Σ on points in $\mathcal{R}^{sync} \times \mathbb{N}$ so that $\Sigma(r, n) = s_n$ when r is derived from a sequence $(x, x, \dots, x, s_N, s_{N+1}, \dots)$ acceptable from N and $n \geq N$, and $\Sigma(r, n)$ is undefined otherwise.

LEMMA 5.2. *The pair $(\mathcal{R}^{sync}, \Sigma)$ is an enriched system.*

Proof. It is immediate from the construction that $(\mathcal{R}^{sync}, \Sigma)$ satisfies Conditions 1 and 2 of Definition 4.9. To see that it satisfies Condition 3, suppose that (r, n) is a point such that $\Sigma(r, n)$ is defined and $\Sigma(r, n) \approx_i s$. By Lemma 5.1 there exists an acceptable sequence (s_n, s_{n+1}, \dots) with $s = s_n$. Let r' be the run obtained from the sequence $(x, \dots, x, s_n, s_{n+1}, \dots)$. Then it is immediate that $(r, n) \sim_i (r', n')$ and $\Sigma(r', n') = s$. Finally, to see that it satisfies Condition 4, suppose that $C\varphi \in cl_0(\psi)$ and $\Sigma(r, n) \Vdash \neg C\varphi$. By Lemma 4.8, there is a state t reachable from $\Sigma(r, n)$ through the relations \approx_i such that $t \Vdash \neg\varphi$. An easy inductive argument on the length of the path from $\Sigma(r, n)$ to t , using Condition 3, shows that there is a point (r', n') reachable from (r, n) through the relations \sim_i such that $\Sigma(r', n') = t$. Thus, the enriched system satisfies Condition 4. \square

Clearly the system \mathcal{R}^{sync} is synchronous, so the interpreted system \mathcal{I} derived from $(\mathcal{R}^{sync}, \Sigma)$ is also synchronous. Let s be an ϵ -state such that $s \Vdash \psi$. Such a state must exist because ψ was assumed consistent. By Lemma 5.1 there exists an acceptable sequence (s_0, s_1, \dots) with $s = s_0$. Let r be the corresponding run in \mathcal{R}^{sync} . Corollary 4.11 implies that $(\mathcal{I}, r, 0) \models \psi$. This establishes the completeness of the axiomatization $S5C_m^U$ for the language CKL_m (resp., of $S5_m^U$ for the language KL_m) with respect to the classes of systems \mathcal{C}_m and \mathcal{C}_m^{sync} . To establish completeness of these axiomatizations for the corresponding languages with respect to the classes of systems \mathcal{C}_m^{uis} and $\mathcal{C}_m^{sync,uis}$, we make use of the following result, which shows that sound and complete axiomatizations for the class of systems satisfying some subset of the properties of perfect recall and synchrony are also sound and complete axiomatizations for the class of systems with the same subset of these properties, but with unique initial states in addition. This completes the proofs of Theorem 3.1 and 3.2.

LEMMA 5.3. *Suppose x is a subset of $\{pr, sync\}$. If $\varphi \in CKL_m$ is satisfiable with respect to \mathcal{C}_m^x , then it is also satisfiable with respect to $\mathcal{C}_m^{x,uis}$.*

Proof. Suppose $\mathcal{I} = (\mathcal{R}, \pi) \in \mathcal{C}_m^x$. We define a system \mathcal{I}' by adding a new initial state to each run in \mathcal{R} . Formally, we define the system $\mathcal{I}' = (\mathcal{R}', \pi')$ as follows. Let l be some local state that does not occur in \mathcal{I} and let s_e be any state of the environment. For each run $r \in \mathcal{R}$, let r^+ be the run such that $r^+(0) = (s_e, l, \dots, l)$ and $r^+(n+1) = r(n)$. Let $\mathcal{R}' = \{r^+ : r \in \mathcal{R}\}$. The valuation π' is given by $\pi'(r, 0)(p) = \text{false}$ and $\pi'(r, n+1)(p) = \pi(r, n)(p)$, for $n \geq 0$ and propositions p . It is clear that \mathcal{I}' is a system with unique initial states. Moreover, if \mathcal{I} is synchronous, then so is \mathcal{I}' , and if \mathcal{I} is a system with perfect recall then so is \mathcal{I}' . A straightforward induction on the construction of the formula $\varphi \in CKL_m$ now shows that, for all points (r, n) in \mathcal{I} , we have $(\mathcal{I}, r, n) \models \varphi$ iff $(\mathcal{I}', r^+, n+1) \models \varphi$. \square

5.2. Dealing with \mathcal{C}_m^{pr} and $\mathcal{C}_m^{pr,uis}$ (Theorem 3.5). We want to show that $S5_m^U + \text{KT3}$ is sound and complete with respect to \mathcal{C}_m^{pr} . We first consider soundness. As we observed above, all axioms and rules of inference other than KT3 are known to be sound in *all* systems, so their soundness in systems \mathcal{C}_m^{pr} is immediate. The next result establishes soundness of KT3.

LEMMA 5.4. *All instances of KT3 are valid in \mathcal{C}_m^{pr} .*

Proof. To show that KT3 is sound, we assume that $(\mathcal{I}, r, n) \models K_i\varphi_1 \wedge \bigcirc(K_i\varphi_2 \wedge \neg K_i\varphi_3)$. We show that $(\mathcal{I}, r, n) \models L_i((K_i\varphi_1)U[(K_i\varphi_2)U\neg\varphi_3])$. Now it follows from the assumption that $(\mathcal{I}, r, n+1) \models \neg K_i\varphi_3$, so there exists a point (r', n') such that $(r, n+1) \sim_i (r', n')$ and $(\mathcal{I}, r', n') \models \neg\varphi_3$. Since $\mathcal{I} \in \mathcal{C}_m^{pr}$, by Lemma 2.2(d), either (i) $(r, n) \sim_i (r', n')$ or (ii) there exists a number $l < n'$ such that $(r, n) \sim_i (r', l)$ and $(r, n+1) \sim_i (r', k)$ for all k with $l < k \leq n'$. We claim that in either case

$(\mathcal{I}, r, n) \models L_i((K_i\varphi_1)U[(K_i\varphi_2)U\neg\varphi_3])$. In case (i), since $(\mathcal{I}, r', n') \models \neg\varphi_3$, we have $(\mathcal{I}, r', n') \models (K_i\varphi_1)U[(K_i\varphi_2)U\neg\varphi_3]$. The desired conclusion is then immediate from the fact that $(r, n) \sim_i (r', n')$. In case (ii), since $(\mathcal{I}, r, n) \models K_i\varphi_1$, and $(r, n) \sim_i (r', l)$, we have that $(\mathcal{I}, r', l) \models K_i\varphi_1$. Similarly, because $(\mathcal{I}, r, n+1) \models K_i\varphi_2$, we obtain that $(\mathcal{I}, r', k) \models K_i\varphi_2$ for all k with $l < k \leq n'$. Together with $(\mathcal{I}, r', n') \models \neg\varphi_3$, this implies that $(\mathcal{I}, r', l) \models (K_i\varphi_1)U[(K_i\varphi_2)U\neg\varphi_3]$. Again, since $(r, n) \sim_i (r', l)$, we obtain that $(\mathcal{I}, r, n) \models L_i((K_i\varphi_1)U[(K_i\varphi_2)U\neg\varphi_3])$. \square

We now establish a lemma characterizing the interaction of knowledge and time in the pre-model. This result will enable us to satisfy the perfect-recall requirement in using the pre-model to construct an interpreted system. It is convenient to introduce the notation $[s]_i$, where s is a state, for the set of $(\sigma\#i)$ -states t such that $s \approx_i t$. The reader is encouraged to compare the following result with Lemma 2.2(c).

LEMMA 5.5. *Suppose that the axiomatization includes KT3. Then for all σ -states s, t and for all $(\sigma\#i)$ -states t' , if $s \rightarrow t$ and $t \approx_i t'$, then either (a) $s \approx_i t'$ or (b) there exists a $(\sigma\#i)$ -state s' such that $s \approx_i s'$ and there exists a sequence of $(\sigma\#i)$ -states $u_0 \rightarrow u_1 \rightarrow \dots \rightarrow u_n = t'$, where $n \geq 0$, such that $s' \rightarrow u_0$ and $u_l \approx_i u_{l+1}$ for all $l = 0 \dots n-1$.*

Proof. We derive a contradiction from the assumption that $s \rightarrow t$ and $t \approx_i t'$, but $s \not\approx_i t'$ and for all $(\sigma\#i)$ -states s' such that $s \approx_i s'$ and all sequences of $(\sigma\#i)$ -states $u_0 \rightarrow u_1 \rightarrow \dots \rightarrow u_n$ such that $s' \rightarrow u_0$ and $u_i \approx_i u_{i+1}$ for $i = 0 \dots n-1$, we have $u_n \neq t'$. Let T be the smallest set of $(\sigma\#i)$ -states such that

1. if $v \in [s]_i$, $v \rightarrow v'$, and $v' \in [t]_i$ then $v' \in T$, and
2. if $v \in T$, $v \rightarrow v'$, and $v' \in [t]_i$ then $v' \in T$.

Because $s \not\approx_i t'$, it follows from the fact that \approx_i is an equivalence relation that the intersection $[s]_i \cap [t]_i$ is empty. Additionally, t' is not in T , for otherwise we could find a sequence of the sort presumed not to exist. Thus, for all $v \in T$, we have $\vdash \varphi_v \Rightarrow \neg\varphi_{t'}$. This implies that $\vdash \varphi_T \Rightarrow \neg\varphi_{t'}$. Let T' be the set of $(\sigma\#i)$ -states v' such that $v \rightarrow v'$ for some $v \in T$. We want to show that

$$(5.1) \quad v' \Vdash \varphi_T \vee (\neg K_i \Phi_{t,i}^+ \wedge \neg\varphi_{t'})$$

for all $v' \in T'$. If $v' \in T$, then clearly we have $v' \Vdash \varphi_T$, so (5.1) holds. If $v' \notin T$, then the second condition in the definition of T implies that v' is not in $[t]_i$. It follows using Lemma 4.3(d) that $v' \Vdash \neg K_i \Phi_{t,i}^+$. Further, $t \not\approx_i v'$ implies that $v' \neq t'$, so $v' \Vdash \neg\varphi_{t'}$. Thus, again we have (5.1). Since (5.1) holds for all $v' \in T'$, it follows that $\vdash \varphi_{T'} \Rightarrow (\varphi_T \vee (\neg K_i \Phi_{t,i}^+ \wedge \neg\varphi_{t'}))$. Now by Lemma 4.4, we have $\vdash \varphi_T \Rightarrow \bigcirc\varphi_{T'}$, so using T1 and RT1 we obtain that $\vdash \varphi_T \Rightarrow \bigcirc(\varphi_T \vee (\neg K_i \Phi_{t,i}^+ \wedge \neg\varphi_{t'}))$. Combining this with $\vdash \varphi_T \Rightarrow \neg\varphi_{t'}$ and using Lemma 4.5, we get that $\vdash \varphi_T \Rightarrow \neg(K_i \Phi_{t,i}^+ U \varphi_{t'})$. In particular, we obtain $v \Vdash \neg(K_i \Phi_{t,i}^+ U \varphi_{t'})$ for all states v in T .

We now repeat this argument to obtain a similar conclusion for the elements of $[s]_i$. Since t' is not in $[s]_i$ we have that $v \in [s]_i$ implies $v \Vdash \neg\varphi_{t'}$. Further, since $[s]_i \cap [t]_i$ is empty we also have by Lemma 4.3(d) that $v \in [s]_i$ implies $v \Vdash \neg K_i \Phi_{t,i}^+$. Using T3 this yields that $\vdash \Phi_{s,i}^+ \Rightarrow \neg(K_i \Phi_{t,i}^+ U \varphi_{t'})$.

Let P be the set of $(\sigma\#i)$ -states v' such that $v \rightarrow v'$ for some $v \in [s]_i$. Let $v' \in P$. We want to show that

$$(5.2) \quad v' \Vdash \Phi_{s,i}^+ \vee (\neg K_i \Phi_{s,i}^+ \wedge \neg(K_i \Phi_{t,i}^+ U \varphi_{t'})).$$

If $v' \in [s]_i$ then clearly $v' \Vdash \Phi_{s,i}^+$, so (5.2) holds. If $v' \notin [s]_i$, then, by Lemma 4.3(d), we have that $v' \Vdash \neg K_i \Phi_{s,i}^+$. We now consider two subcases: (a) $v' \in T$ and

(b) $v' \notin T$. If $v' \in T$ then, as we showed earlier, we have $v' \Vdash \neg(K_i\Phi_{t,i}^+ U \varphi_{t'})$. If $v' \notin T$, then by the definition of T it follows that $t \not\approx_i v'$. By Lemma 4.3(d), this implies that $v' \Vdash \neg K_i\Phi_{t,i}^+$. Further, since $t \approx_i t'$, we also obtain that $v' \neq t'$, so $v' \Vdash \neg\varphi_{t'}$. Using T3, this yields $v' \Vdash \neg(K_i\Phi_{t,i}^+ U \varphi_{t'})$, and again we have (5.2). Using Lemma 4.4, we obtain that $\vdash \Phi_{s,i}^+ \Rightarrow \bigcirc[\Phi_{s,i}^+ \vee (\neg K_i\Phi_{s,i}^+ \wedge \neg(K_i\Phi_{t,i}^+ U \varphi_{t'}))]$. Applying Lemma 4.5 to this and the result of the preceding paragraph establishes that $\vdash \Phi_{s,i}^+ \Rightarrow \neg(K_i\Phi_{s,i}^+ U (K_i\Phi_{t,i}^+ U \varphi_{t'}))$.

It follows using Lemma 4.3(b), R2, and K2 that $s \Vdash K_i\neg(K_i\Phi_{s,i}^+ U (K_i\Phi_{t,i}^+ U \varphi_{t'}))$. By KT3, we obtain $s \Vdash \neg(K_i\Phi_{s,i}^+ \wedge \bigcirc(K_i\Phi_{t,i}^+ \wedge L_i\varphi_{t'}))$. Since, by Lemma 4.3(b), $s \Vdash K_i\Phi_{s,i}^+$, we obtain using T2 that $s \Vdash \bigcirc\neg(K_i\Phi_{t,i}^+ \wedge L_i\varphi_{t'})$. Because $s \rightarrow t$, we have that $\varphi_s \wedge \bigcirc\varphi_t$ is consistent, so it follows that $\varphi_t \wedge \neg(K_i\Phi_{t,i}^+ \wedge L_i\varphi_{t'})$ is consistent. But, by Lemma 4.3, $t \Vdash K_i\Phi_{t,i}^+ \wedge L_i\varphi_{t'}$, so this is a contradiction. \square

We are now ready to define, for each consistent ψ , an enriched⁺ system for ψ that establishes completeness of $S5_m^U + KT3$ with respect to \mathcal{C}_m^{pr} . The runs of this system are those derived from the acceptable sequences (s_0, s_1, \dots) (of states for ψ) by putting $r_e(n) = s_n$ and $r_i(n) = O_i(s_0)\# \dots \# O_i(s_n)$, for each agent i and $n \geq 0$. Thus, $r_i(n)$ is the sequence of current information that agent i has had up to time n . Let \mathcal{R}^{pr} be the set of runs defined in this way. The function Σ is given by $\Sigma(r, n) = s_n$ for each $n \geq 0$.

LEMMA 5.6. *Suppose that the axiomatization includes KT3. Then $(\mathcal{R}^{pr}, \Sigma)$ is an enriched⁺ system.*

Proof. It is clear that $(\mathcal{R}^{pr}, \Sigma)$ satisfies Conditions 1 and 2 of Definition 4.9. It remains to show that Condition 3' holds. So suppose that $\Sigma(r, n)$ is a σ -state and $\Sigma(r, n) \approx_i s$ for some $(\sigma\#i)$ -state s . We must find a point (r', n') such that $\Sigma(r', n') = s$.

The proof proceeds by induction on n . The result for $n = 0$ is immediate, since we can take r' to be an acceptable sequence starting from s (such a sequence exists by Lemma 5.1), so $\Sigma(r', 0) = s$ and clearly $(r, 0) \sim_i (r', 0)$.

Now suppose $n > 0$ and the result holds for $n - 1$. Because $\Sigma(r, n - 1) \rightarrow \Sigma(r, n)$ and $\Sigma(r, n) \approx_i s$, it follows by Lemma 5.5 that either (a) $\Sigma(r, n - 1) \approx_i s$ or (b) there exists a $(\sigma\#i)$ -state s' such that $\Sigma(r, n - 1) \approx_i s'$ and there exists a sequence of $(\sigma\#i)$ -states $u_0 \rightarrow u_1 \rightarrow \dots \rightarrow u_k$ such that $s' \rightarrow u_0$, $u_l \approx_i u_{l+1}$ for $l = 0 \dots k - 1$, and $u_k = s$. By the induction hypothesis, there exists for every $(\sigma\#i)$ -state t with $\Sigma(r, n - 1) \approx_i t$ a point (r', n') such that $(r, n - 1) \sim_i (r', n')$ and $\Sigma(r', n') = t$. In case (a), we take $t = s$, and we then have that $\Sigma(r, n - 1) \approx_i \Sigma(r, n)$ and $\Sigma(r', n') = s$. It follows that $(r, n) \sim_i (r', n - 1)$, and by the transitivity of \sim_i , we also have $(r, n) \sim_i (r', n')$. Hence we are done. In case (b), we take $t = s'$. Suppose that r' is derived from the sequence (v_0, v_1, \dots) . Let r'' be any run derived from an acceptable sequence with initial segment $(v_0, \dots, v_{n'}, u_0, \dots, u_k)$. Again, such a run exists by Lemma 5.1. By construction, $\Sigma(r'', n' + k + 1) = u_k = s$. Moreover, since $r_i''(n') = r_i'(n') = r_i(n - 1)$ and $O_i(u_l) = O_i(s)$ for all $l = 0, \dots, k$, we have $r_i''(n' + k + 1) = r_i''(n')\#O_i(u_0)\#\dots\#O_i(u_k) = r_i(n - 1)\#O_i(s) = r_i(n)$, and hence $(r, n) \sim_i (r'', n' + k + 1)$. \square

Now take any ϵ -state s such that $s \Vdash \psi$, and let r be a run derived from an acceptable sequence starting with s . By construction, the system \mathcal{I} obtained from the enriched⁺ system is in \mathcal{C}_m^{pr} , and by Corollary 4.11, we have $(\mathcal{I}, r, 0) \models \psi$. Thus, ψ is satisfiable in \mathcal{C}_m^{pr} . By Lemma 5.3, ψ is also satisfiable in systems in $\mathcal{C}_m^{pr,uis}$. Since this argument applies to an arbitrary formula ψ consistent with respect to $S5_m^U + KT3$,

this completes the proof of Theorem 3.5.

5.3. Dealing with $\mathcal{C}_m^{pr, sync}$ and $\mathcal{C}_m^{pr, sync, uis}$ (Theorem 3.6). We now show that $S5_m^U + KT2$ is sound and complete with respect to KL_m for the classes of systems $\mathcal{C}_m^{pr, sync}$ and $\mathcal{C}_m^{pr, sync, uis}$. For soundness, the following result suffices.

LEMMA 5.7. *All instances of KT2 are valid in $\mathcal{C}_m^{pr, sync}$.*

Proof. Let \mathcal{I} be a system in $\mathcal{C}_m^{pr, sync}$ and let r be a run of \mathcal{I} . Suppose that $(\mathcal{I}, r, n) \models K_i \circ \varphi$. If $(r, n+1) \sim_i (r', n')$, then by synchrony we must have $n' = n+1$. Thus, by perfect recall and synchrony, we have $(r, n) \sim_i (r', n'-1)$. It follows that $(\mathcal{I}, r', n'-1) \models \circ \varphi$, which implies that $(\mathcal{I}, r', n') \models \varphi$. This shows that $(\mathcal{I}, r', n') \models \varphi$ for all $(r', n') \sim_i (r, n+1)$. Thus, we have $(\mathcal{I}, r, n+1) \models K_i \varphi$, and hence $(\mathcal{I}, r, n) \models \circ K_i \varphi$. \square

Before constructing an enriched⁺ system for the completeness proof, we first note a property of the pre-model, analogous to that given in Lemma 5.5.

LEMMA 5.8. *Suppose that the axiomatization includes KT2. Then for all σ -states s, t with $s \rightarrow t$, we have that for all $(\sigma \# i)$ -states t' with $t \approx_i t'$ there exists a $(\sigma \# i)$ -state s' such that $s \approx_i s'$ and $s' \rightarrow t'$.*

Proof. By way of contradiction, suppose that s, t are σ -states with $s \rightarrow t$ that t' is a $(\sigma \# i)$ -state such that $t \approx_i t'$, but that for all $(\sigma \# i)$ -states s' such that $s \approx_i s'$, we have that $s' \Vdash \neg \circ \varphi_{t'}$. By T2, we have that $s' \Vdash \circ \neg \varphi_{t'}$ for all $(\sigma \# i)$ -states s' such that $s \approx_i s'$. By Lemma 4.3(b), it follows that $s \Vdash K_i \circ \neg \varphi_{t'}$. By KT2, we have that $s \Vdash \circ K_i \neg \varphi_{t'}$. Since $s \rightarrow t$, it follows that $\varphi_t \wedge K_i \neg \varphi_{t'}$ is consistent. However, since $t \approx_i t'$, by Lemma 4.3(c), we have $t \Vdash L_i \varphi_{t'}$. This is a contradiction. \square

To construct the enriched⁺ system, we now take $\mathcal{R}^{pr, sync}$ to be the set of runs r derived from acceptable sequences (s_0, s_1, \dots) of states for the formula ψ by putting $r_e(n) = s_n$ and $r_i(n) = O_i(s_0) \dots O_i(s_n)$, for each agent i and $n \geq 0$. The notation $O_i(s_0) \dots O_i(s_n)$ is meant to denote the sequence formed by concatenating $O_i(s_0), O_i(s_1), \dots, O_i(s_n)$. Thus, the length of the sequence is $n+1$, which enforces synchrony. Again, the function Σ is given by $\Sigma(r, n) = s_n$ for each $n \geq 0$.

LEMMA 5.9. *Suppose that the axiomatization includes KT2. Then $(\mathcal{R}^{pr, sync}, \Sigma)$ is an enriched⁺ system.*

Proof. Conditions 1 and 2 of the definition of an enriched⁺ system are immediate. To show that Condition 3' holds, suppose that $\Sigma(r, n)$ is a σ -state and that t is a $(\sigma \# i)$ -state such that $\Sigma(r, n) \approx_i t$. Suppose that r is derived from the acceptable sequence (s_0, s_1, \dots) , so $\Sigma(r, n) = s_n$. It follows from Lemma 5.8 that there exists a \rightarrow -sequence $t_0 \rightarrow \dots \rightarrow t_n$ such that $t_n = t$ and $s_j \approx_i t_j$ for $j = 1 \dots n$. By Lemma 5.1, this sequence may be extended to an infinite acceptable sequence. Taking r' to be the run derived from this sequence, we see that $(r, n) \sim_i (r', n)$ and $\Sigma(r', n) = t$. \square

Take $\mathcal{I}^{pr, sync}$ to be the system obtained from $(\mathcal{R}^{pr, sync}, \Sigma)$. By construction, this system is in $\mathcal{C}^{pr, sync}$. Now take any ϵ -state s such that $s \Vdash \psi$, and let r be a run derived from an acceptable sequence starting with s . By construction, the system \mathcal{I} obtained from the enriched⁺ system is in $\mathcal{C}_m^{pr, sync}$, and by Corollary 4.11, we have $(\mathcal{I}, r, 0) \models \psi$. Thus, ψ is satisfiable in $\mathcal{C}_m^{pr, sync}$. By Lemma 5.3, ψ is also satisfiable in systems in $\mathcal{C}_m^{pr, sync, uis}$. Since this argument applies to any formula ψ consistent with respect to $S5_m^U + KT2$, this completes the proof of Theorem 3.6.

5.4. Dealing with \mathcal{C}_m^{nl} (Theorem 3.7). We want to show that $S5_m^U + KT4$ is sound and complete for KL_m with respect to \mathcal{C}_m^{nl} . For soundness, it suffices to show that KT4 is valid in \mathcal{C}_m^{nl} . This is straightforward.

LEMMA 5.10. *All instances of KT4 are valid in \mathcal{C}_m^{nl} .*

Proof. Suppose that $\mathcal{I} \in \mathcal{C}_m^{nl}$ and $(\mathcal{I}, r, n) \models K_i \varphi U K_i \psi$. We want to show that $(\mathcal{I}, r, n) \models K_i(K_i \varphi U K_i \psi)$. Thus, if $(r', n') \sim_i (r, n)$, we must show that $(\mathcal{I}, r', n') \models K_i \varphi U K_i \psi$. Since $(\mathcal{I}, r, n) \models K_i \varphi U K_i \psi$, there exists $l \geq n$ such that $(\mathcal{I}, r, l) \models K_i \psi$ and $(\mathcal{I}, r, k) \models K_i \varphi \wedge \neg K_i \psi$ for all k with $n \leq k < l$. Note that this means that if $n \leq k < l$, then $r_i(k) \neq r_i(l)$. Since $\mathcal{I} \in \mathcal{C}_m^{nl}$ and $(r, n) \sim_i (r', n')$, there must be some $l' \geq n'$ such that $((r, n), \dots, (r, l))$ is \sim_i -concordant with $((r', n'), \dots, (r', l'))$. Thus, there exists some h , a partition S_1, \dots, S_h of the sequence $((r, n), \dots, (r, l))$, and a partition T_1, \dots, T_h of the sequence $((r', n'), \dots, (r', l'))$ such that for all $j = 1, \dots, h$, we have $(r, k) \sim_i (r', k')$ for all points $(r, k) \in S_j$ and $(r', k') \in T_j$. It easily follows that $(\mathcal{I}, r', n') \models K_i \varphi U K_i \psi$, as desired. \square

For completeness, we define an appropriate enriched⁺ system. As we shall see, the demands of no learning make this a little more subtle than in the case of no forgetting.

For the remainder of this section, consistency and provability are with respect to a logic that includes $S5_m^U + \text{KT4}$. Fix a consistent formula ψ such that $ad(\psi) = d$.

Our first step is to prove an analogue of Lemma 5.5.

LEMMA 5.11. *Suppose that the axiomatization includes KT4. If s is a σ -state, t is a $(\sigma\#i)$ -state, $s \approx_i t$, and $s \rightarrow s'$, then there exists a sequence t_0, \dots, t_k such that (a) $t = t_0$, (b) $t_j \approx_i s$ for $j < k$, (c) $t_j \rightarrow t_{j+1}$ for $j < k$, and (d) $s' \approx_i t_k$.*

Proof. If $s' \approx_i t$, then we can take the sequence to consist only of t , and we are done. Otherwise, since $\varphi_s \wedge \neg \varphi_{s'}$ is consistent, it follows from Lemma 4.3(b) that $\varphi_s \wedge K_i \Phi_{s,i}^+ U K_i \Phi_{s',i}^+$ is consistent. Moreover, by Lemma 4.3(c), we have that $\varphi_s \Vdash L_i \varphi_t$. Thus, $\varphi_s \wedge L_i \varphi_t \wedge K_i \Phi_{s,i}^+ U K_i \Phi_{s',i}^+$ is consistent. Using KT4, it follows that $\varphi_t \wedge K_i \Phi_{s,i}^+ U K_i \Phi_{s',i}^+$ is consistent. The result now follows from Lemma 4.7. \square

Unfortunately, Lemma 5.11 does not suffice to construct an enriched⁺ system. Roughly speaking, the problem is the following. In the case of perfect recall, we used Lemma 5.5 to show that, given a \rightarrow -sequence $S = (s_0, \dots, s_n)$ of σ -states and a $(\sigma\#i)$ -state t such that $s_n \approx_i t$, we can construct a \rightarrow -sequence T of $(\sigma\#i)$ -states ending with t such that S is \approx_i -concordant with T . There is no problem then extending T to an acceptable sequence. Moreover, we can extend S and T independently to acceptable sequences; all that matters is that the finite prefixes of these sequences—namely, S and T —are \approx_i -concordant. With no learning, on the other hand, it is the infinite suffixes that must be \approx_i -concordant. Given a \rightarrow -sequence $S = (s_0, \dots)$ of σ -states and a $(\sigma\#i)$ -state t such that $s_0 \approx_i t$, using Lemma 5.11, we can find a \rightarrow -sequence T starting with t that is \approx_i -concordant with S . This suggests that it is possible to find the appropriate sequences for the construction of runs satisfying the no learning condition. Unfortunately, it does not follow from the acceptability of S that T is also acceptable. This makes it necessary to work with a smaller set of sequences than the set of all acceptable sequences, and to build up the sequences S and T simultaneously. To ensure that the appropriate obligations are satisfied at all points in the set of runs constructed, we need to work not just with single states, but with trees of states.

A k -tree for ψ (with $k \leq d$) is a set S of σ -states for ψ with $|\sigma| \leq k$ with a unique ϵ -state such that if $s \in S$ is a σ -state then

- if t is a $(\sigma\#i)$ -state such that $s \approx_i t$ and $|\sigma\#i| \leq k$, then $t \in S$,
- if $\sigma = \tau\#i$, then there is a τ -state t in S such that $s \approx_i t$.

We extend the \rightarrow relation to k -trees as follows. If S_1 and S_2 are k -trees for ψ , then $S_1 \rightarrow_f S_2$ if f is a function associating with each σ -state $s \in S_1$ a finite sequence of σ -states in $S_1 \cup S_2$ such that

- if $f(s) = (s_0, \dots, s_k)$, then

- $s = s_0$,
- $s_0 \rightarrow \dots \rightarrow s_k$,
- $s_0, \dots, s_{k-1} \in S_1$ and $s_k \in S_2$;
- if $s \approx_i s'$, then $f(s)$ and $f(s')$ are \approx_i -concordant;
- for at least one $s \in S_1$, the sequence $f(s)$ has length at least 2.

Given two sequences of σ -states $\alpha = (s_0, \dots, s_k)$ and $\beta = (t_0, \dots)$, where α is finite, the *fusion* of α and β , denoted $\alpha \cdot \beta$ is defined only if $s_k = t_0$; in this case, it is the sequence $(s_0, s_{k-1}, t_0, \dots)$. Given an infinite sequence $\mathcal{S} = S_0 \rightarrow_{f_0} S_1 \rightarrow_{f_1} S_2 \rightarrow_{f_2} \dots$ of k -trees, we say a sequence α of σ -states is *compatible with \mathcal{S}* if there exists some h , and σ -states s_h, s_{h+1}, \dots with $s_j \in S_j$ for $j \geq h$, such that $\alpha = f_h(s_h) \cdot f_{h+1}(s_{h+1}) \cdot \dots$ (Implicit in this notation is the assumption that this fusion product is defined, so that the last state in $f_j(s_j)$ is the same as the first state in $f_{j+1}(s_{j+1})$, for $j \geq h$.) \mathcal{S} is *acceptable* if every \rightarrow -sequence compatible with \mathcal{S} is infinite and acceptable. Our goal is to construct an acceptable sequence of d -trees; we then use this to define the enriched⁺ system.

Note that by Lemma 4.3, the formula φ_s essentially describes the subtree below s of any k -tree containing s . Given a k -tree S and a σ -state s in S , we inductively define a formula $tree_{S,s}$ that describes all of S from the point of view of s . If s is an ϵ -state, then $tree_{S,s} = \varphi_s$. Otherwise, if s is a $(\tau\#i)$ -state, where $\tau \neq \tau\#i$, then

$$tree_{S,s} = \varphi_s \wedge \bigwedge_{\{\tau\text{-states } t: s \approx_i t\}} L_i tree_{S,t}.$$

If S and T are k -trees, $s \in S$, and $t \in T$, then we write $(S, s) \rightarrow^+ (T, t)$ if there exists a sequence of k -trees S_0, \dots, S_l and functions f_0, \dots, f_{l-1} such that $S_0 \rightarrow_{f_0} \dots \rightarrow_{f_{l-1}} S_l$, $S_0 = S$, $S_l = T$, $f_j(s) = (s)$ for $j \leq l-2$, and $f_{l-1}(s) = (s, t)$.

LEMMA 5.12. *Suppose that the axiomatization includes KT4, S is a k -tree, and s is a σ -state in S , where $|\sigma| = k$.*

- (a) *If t is a σ -state and $tree_{S,s} \wedge \bigcirc(\varphi_t \wedge \xi)$ is consistent, then there exists a k -tree T such that $t \in T$, $(S, s) \rightarrow^+ (T, t)$, and $tree_{T,t} \wedge \xi$ is consistent.*
- (b) *$tree_{S,s} \Rightarrow \bigcirc \bigvee_{\{(T,t): (S,s) \rightarrow^+ (T,t)\}} tree_{T,t}$ is provable.*
- (c) *If $tree_{S,s} \wedge \varphi U \varphi'$ is consistent, then for some $l \geq 0$ there is a sequence S_0, \dots, S_l of k -trees and states s_0, \dots, s_l such that (i) $s_j \in S_j$, (ii) $(S, s) = (S_0, s_0)$, (iii) $(S_j, s_j) \rightarrow^+ (S_{j+1}, s_{j+1})$ for $j = 0, \dots, l-1$, (iv) $tree_{S_j, s_j} \wedge \varphi$ is consistent for $j = 0, \dots, l-1$, and (v) $tree_{S_l, s_l} \wedge \varphi'$ is consistent.*

Proof. We proceed by induction on k . The case that $k = 0$ is immediate using standard arguments, since then $tree_{S,s}$ is just φ_s .

So suppose $k > 0$ and $\sigma = \tau\#i$, with $\sigma \neq \tau$. We first prove part (a) in the case that ξ is of the form $K_i \xi'$, then part (b), then prove the general case of (a), and then prove (c). First consider (a) in the case that ξ is of the form $K_i \xi'$. Note that $tree_{S,s} \wedge \bigcirc(\varphi_t \wedge K_i \xi')$ implies $tree_{S,s} \wedge K_i \Phi_{s,i} U K_i(\xi' \wedge \Phi_{t,i})$. From the definition of k -tree, it follows that there is a τ -state s' in S such that $s \approx_i s'$. Let S' be the $(k-1)$ -tree consisting of all σ' -states in S with $|\sigma'| \leq k-1$. From KT4, it follows that

$$tree_{S',s'} \wedge K_i \Phi_{s,i} U K_i(\xi' \wedge \Phi_{t,i})$$

is consistent. Applying part (c) of the inductive hypothesis, we get a sequence S_0, \dots, S_l of $(k-1)$ -trees and states s_0, \dots, s_l such that (i) $s_j \in S_j$, (ii) $(S', s') = (S_0, s_0)$, (iii) $(S_j, s_j) \rightarrow^+ (S_{j+1}, s_{j+1})$ for $j = 0, \dots, l-1$, (iv) $tree_{S_j, s_j} \wedge K_i \Phi_{s,i}$ is

consistent for $j = 0, \dots, l-1$, and (v) $tree_{S_l, s_l} \wedge K_i(\xi^l \wedge \Phi_{t, i})$ is consistent. It follows by definition that there is a sequence T_0, \dots, T_m of $(k-1)$ -trees and functions f_0, \dots, f_{m-1} such that $T_0 \rightarrow_{f_0} \dots \rightarrow_{f_{m-1}} T_m$, $T_0 = S_0$, and $T_m = S_l$. Moreover, there are elements t_0, \dots, t_m such that $t_0 = s'$, $t_m = s_l$, if $j < m$, then $t_j = s_{j'}$ for some $j' \leq j$, and if $t_j = t_{j+1}$, then $f_j(t_j) = (t_j)$, while if $t_j \neq t_{j+1}$, then $f_j(t_j) = (t_j, t_{j+1})$, for $j = 0, \dots, m-1$.

Let T'_j be the unique k -tree extending T_j , for $j = 0, \dots, m$. Since $\varphi_{t_j} \wedge K_i \Phi_{s, i}$ is consistent for $j < m$, we have that $t_j \approx_i s$, and so $s \in T'_j$ for $j < m$. Similarly, we have that $t \in T'_m$. We now show how to construct f'_j , for $j < m$. For each state $u' \in T'_j - T_j$, there must exist a state $u \in T_j$ and an agent j' such that $u \approx_{j'} u'$. (There may be more than one such state u , of course. In this case, in the construction below, we can pick u arbitrarily.) It easily follows from Lemma 5.11 that there exists a sequence $\alpha_{u'}$ starting with u' that is $\approx_{j'}$ -concordant with $f_j(u)$. Moreover, we can take $\alpha_{t_j} = (s)$ for $j < m-1$, and take $\alpha_{t_{m-1}} = (s, t)$. We define f'_j so that it agrees with f_j on T_j , and for each $u' \in T'_j - T_j$, we have $f'_j(u') = \alpha_{u'}$.

Notice that $T'_0 = S$. If $m > 0$, it follows immediately from the definition that $(S, s) \rightarrow^+ (T_m, t)$ and that $tree_{T_m, t} \wedge K_i \xi^l$ is consistent. If $m = 0$, it is easy to check that we must have $t \in S$, for we have $s' \approx_i t$. Since we also have $s' \approx_i s$, it follows that $s \approx_i t$. Define f so that $f(u) = (u)$ for $u \neq s$ and $f(s) = (s, t)$. Then $(S, s) \rightarrow_f (S, t)$. Since $s \rightarrow t$, we have $(S, s) \rightarrow^+ (S, t)$. This completes the proof of part (a).

To prove part (b), suppose not. Then $tree_{S, s} \wedge \bigcirc \bigwedge_{\{(T, t): (S, s) \rightarrow^+ (T, t)\}} \neg tree_{T, t}$ is consistent. Straightforward temporal reasoning shows that there must be some u such that

$$(5.3) \quad tree_{S, s} \wedge \bigcirc (\varphi_u \wedge \bigwedge_{\{(T, t): (S, s) \rightarrow^+ (T, t)\}} \neg tree_{T, t})$$

is consistent. Now $\neg tree_{T, t}$ is equivalent to $\neg \varphi_t \vee \bigvee_{\{\tau\text{-states } t': t' \approx_i t\}} K_i \neg tree_{T, t'}$. Thus, it follows that the consistency of (5.3) implies that for each tree T such that $(S, s) \rightarrow^+ (T, u)$, there is a τ -state $t_T \approx_i u$ such that

$$(5.4) \quad tree_{S, s} \wedge \bigcirc (\varphi_u \wedge K_i (\bigwedge_{\{T: (S, s) \rightarrow^+ (T, u)\}} \neg tree_{T, t_T}))$$

is consistent. By part (a), there exists a k -tree T' and $t' \in T'$ such that $(S, s) \rightarrow^+ (T', t')$ and $tree_{T', t'} \wedge \varphi_u \wedge K_i (\bigwedge_{\{T: (S, s) \rightarrow^+ (T, u)\}} \neg tree_{T, t_T})$ is consistent. But this means that $t' = u$. Thus, we have a contradiction, since $tree_{T', u} \wedge K_i \neg tree_{T', t_{T'}}$ is inconsistent.

The general case of (a) follows easily from (b). Part (c) also follows from part (b), using arguments much like those of Lemma 4.7; we omit details here. \square

LEMMA 5.13. *Suppose that the axiomatization includes KT_4 and ψ is consistent. Then there is an acceptable sequence of d -trees such that ψ is true at the root of the first tree.*

Proof. The key part of the proof is to show that given a finite sequence $S_0 \rightarrow_{f_0} \dots \rightarrow_{f_{l-1}} S_l$ of d -trees and a σ -state s in S_l such that $s \Vdash \bigcirc \varphi$ (resp., $s \Vdash \varphi_1 U \varphi_2$), we can extend the sequence of trees in such a way as to satisfy this obligation. This follows easily from Lemmas 5.11 and 5.12. In more detail, suppose $s \Vdash \varphi_1 U \varphi_2$. Let S' consist of all τ -states in S_l , with $|\tau| \leq k = |\sigma|$. By Lemma 5.12, we can find a sequence of k -trees starting with S' that satisfies this obligation. Using Lemma 5.11, we can extend this to a sequence of d -trees starting with S_l that satisfies the obligation.

The argument in the case that $s_k \Vdash \bigcirc\varphi$ is similar. We can then take care of the obligations one by one, and construct an acceptable sequence, in the obvious way.

Since ψ is consistent, there must be some tree S with root s_0 such that $s_0 \Vdash \psi$. We just extend S as above to complete the proof. \square

Once we have an acceptable sequence \mathcal{S} of d -trees as in Lemma 5.13, we can easily construct the enriched⁺ system much as we did in the case of perfect recall. Given a \rightarrow -sequence $s_0 \rightarrow s_1 \rightarrow \dots$ the nl -run r derived from it is defined so that $r_e(n) = s_n$ and $r_i(n) = O_i(s_n)\#O_i(s_{n+1})\#\dots$, for each agent i and $n \geq 0$. Thus, while for perfect recall we take $r_i(n)$ to consist of the agent's current information up to time n , for no learning we take $r_i(n)$ to consist of the current information from time n on. The construction stresses the duality between perfect recall and no learning. Let \mathcal{R}^{nl} consist of all the nl -runs derived from \rightarrow -sequences that are compatible with \mathcal{S} . Again, the function Σ is given by $\Sigma(r, n) = s_n$ for each $n \geq 0$.

LEMMA 5.14. *Suppose the axiomatization includes KT4. Then $(\mathcal{R}^{nl}, \Sigma)$ is an enriched⁺ system.*

Proof. Again, Conditions 1 and 2 in the definition of enriched⁺ system follow immediately from the construction. For Condition 3', suppose that (r, n) is a point in the system, $\Sigma(r, n)$ is a σ -state, and s is a $(\sigma\#i)$ -state with $s \approx_i \Sigma(r, n)$. Suppose $\mathcal{S} = S_0 \xrightarrow{f_0} S_1 \xrightarrow{f_1} S_2 \xrightarrow{f_2} \dots$. By definition, the nl -run r is derived from some sequence (s_0, s_1, s_2, \dots) of σ -states compatible with \mathcal{S} . Suppose $\Sigma(r, n)$ is in the interval of this sequence from S_k . Then s must also be in S_k . Let (t_0, t_1, \dots) be the (unique) sequence compatible with \mathcal{S} that starts at s in S_k . Let r' be the run derived from this sequence. Then, by definition, we have $\Sigma(r', 0) = s$ and $(r, n) \sim_i (r', 0)$. \square

Take \mathcal{I}^{nl} to be the system obtained from $(\mathcal{R}^{nl}, \Sigma)$. By construction, this system is in \mathcal{C}^{nl} . Now take any ϵ -state s such that $s \Vdash \psi$, and let r be a run derived from a sequence compatible with \mathcal{S} starting with s . It follows that $(\mathcal{I}, r, 0) \models \psi$. Thus, ψ is satisfiable in \mathcal{C}_m^{nl} . This completes the proof of Theorem 3.7.

5.5. Dealing with $\mathcal{C}_m^{nl,pr}$ and $\mathcal{C}_1^{nl,pr,uis}$ (Theorem 3.8). We now want to show that $S5_m^U + \text{KT3} + \text{KT4}$ is sound and complete for KL_m with respect to $\mathcal{C}_m^{nl,pr}$. Soundness is immediate from Lemmas 5.4 and 5.10.

For completeness, we construct an enriched⁺ system much as in the proof of Theorem 3.7, using k -trees. By Lemma 5.13, there is an acceptable sequence \mathcal{S} of d -trees such that ψ is true at the root of the first tree. Given a \rightarrow -sequence (s_0, s_1, \dots) , the nl - pr -run r derived from it is defined so that $r_e(n) = s_n$ and $r_i(n) = (O_i(s_0)\#O_i(s_1)\#\dots\#O_i(s_n), O_i(s_n)\#O_i(s_{n+1})\#\dots)$, for each agent i and $n \geq 0$. Thus, the agents' local states enforce both perfect recall (by keeping track of all the information up to time n) and no learning (by keeping track of the current information from time n on). Let $\mathcal{R}^{nl,pr}$ consist of all nl - pr -runs that are derived from \rightarrow -sequences that have a suffix that is compatible with \mathcal{S} . Note that now we consider \rightarrow -sequences whose *suffixes* are compatible with \mathcal{S} . The reason we have allowed the greater generality of suffixes will become clear shortly. Since \mathcal{S} is acceptable, it is easy to see that every such \rightarrow -sequence must be infinite and acceptable. Again, the function Σ is given by $\Sigma(r, n) = s_n$ for each $n \geq 0$.

LEMMA 5.15. *Suppose the axiomatization includes KT3 and KT4. Then $(\mathcal{R}^{nl,pr}, \Sigma)$ is an enriched⁺ system.*

Proof. As usual, Conditions 1 and 2 in the definition of enriched⁺ system follow immediately from the construction. For Condition 3', suppose that (r, n) is a point in the system, $\Sigma(r, n)$ is a σ -state, and s is a $(\sigma\#i)$ -state. Suppose $\mathcal{S} = S_0 \xrightarrow{f_0} S_1 \xrightarrow{f_1} S_2 \xrightarrow{f_2} \dots$. By definition, the nl - pr -run r is derived from a \rightarrow -sequence (s_0, s_1, \dots)

that has a suffix (s_N, s_{N+1}, \dots) that is compatible with \mathcal{S} , and $\Sigma(r, n) = s_n$. There are now two cases to consider. If $n \geq N$, then there exists some k such that s_n is in S_k . Then s must also be in S_k . Let (u_0, u_1, \dots) be the unique sequence compatible with \mathcal{S} that starts with s in S_k . By Lemma 5.5, there exist a sequence $v_0 \rightarrow \dots \rightarrow v_h$ of $\sigma\#i$ -states such that $v_h = s$ and (v_0, \dots, v_h) is \approx_i -compatible with (s_0, \dots, s_n) . Consider the \rightarrow -sequence formed from the fusion of (v_0, \dots, v_h) and (u_0, u_1, \dots) . By construction, the nl - pr -run r' derived from this \rightarrow -sequence is in $\mathcal{R}^{nl,pr}$, $\Sigma(r', h) = s$, and $(r, n) \sim_i (r', h)$.

Now suppose $n < N$. By Lemma 5.5, there exist $(\sigma\#i)$ -states $v_0 \rightarrow \dots \rightarrow v_h$ such that $v_h = s$ and (v_0, \dots, v_h) is \approx_i -concordant with (s_0, \dots, s_n) . Moreover, by Lemma 5.11, this sequence can be extended to a sequence (v_0, \dots, v_k) that is \approx_i -concordant with (s_0, \dots, s_N) . Since $s_N \in S_M$ for some M , we must have $v_k \in S_M$. Let (u_0, u_1, \dots) be the unique sequence compatible with \mathcal{S} that starts at v_k in S_M . Consider the \rightarrow -sequence formed from the fusion of (v_0, \dots, v_k) and (u_0, u_1, \dots) . By construction, the nl - pr -run r' derived from this \rightarrow -sequence is in $\mathcal{R}^{nl,pr}$, $\Sigma(r', h) = s$, and $(r, n) \sim_i (r', h)$. \square

Again, we complete the proof by taking $\mathcal{I}^{nl,pr}$ to be the system obtained from $(\mathcal{R}^{nl,pr}, \Sigma)$. By construction, this system is in $\mathcal{C}^{nl,pr}$ and satisfies ψ . This shows that $S5_m^U + \text{KT3} + \text{KT4}$ is a sound and complete axiomatization for the language KL_m with respect to $\mathcal{C}_m^{nl,pr}$.

The fact that it is also a sound and complete axiomatization for the language KL_1 with respect to $\mathcal{C}_1^{nl,pr,uis}$ follows immediately from the following lemma.

LEMMA 5.16. *The formula $\psi \in KL_1$ is satisfiable with respect to $\mathcal{C}_1^{nl,pr}$ (resp., $\mathcal{C}_1^{nl,pr,sync}$) iff it is satisfiable with respect to $\mathcal{C}_1^{nl,pr,uis}$ (resp., $\mathcal{C}_1^{nl,pr,sync,uis}$).*

Proof. Clearly if ψ is satisfiable with respect to $\mathcal{C}_1^{nl,pr,uis}$ (resp., $\mathcal{C}_1^{nl,pr,sync,uis}$) it is satisfiable with respect to $\mathcal{C}_1^{nl,pr}$ (resp., $\mathcal{C}_1^{nl,pr,sync}$). For the converse, suppose that $(\mathcal{I}, r^*, n^*) \models \psi$, where $\mathcal{I} = (\mathcal{R}, \pi) \in \mathcal{C}_1^{nl,pr}$. For each run $r \in \mathcal{R}$, define the run r^+ just as in Lemma 5.3, to be the result of adding a new initial state to r . Let $\mathcal{R}' = \{r^+ : (r, 0) \sim_1 (r^*, 0)\}$. Define π' as on \mathcal{R}' as in Lemma 5.3, so that $\pi'(r^+, 0)(p) = \mathbf{false}$ for all primitive propositions p , and $\pi'(r^+, n+1) = \pi(r, n)$. Let $\mathcal{I}' = (\mathcal{R}', \pi')$. Clearly $\mathcal{I}' \in \mathcal{C}_1^{nl,pr,uis}$, and if \mathcal{I} is synchronous, then so is \mathcal{I}' . We claim that $(\mathcal{I}', r^+, n+1) \models \varphi$ iff $(\mathcal{I}, r, n) \models \varphi$ for all formulas $\varphi \in KL_1$ and all $r^+ \in \mathcal{R}'$. We prove this by induction on the structure of φ . The only nontrivial case is if φ is of the form $K_1\varphi'$. But this case is immediate from the observation that if $r^+ \in \mathcal{R}'$, $r' \in \mathcal{R}$, and $(r, n) \sim_1 (r', n')$, then since \mathcal{I} is a system of perfect recall, we must have $(r, 0) \sim_1 (r', 0)$, and hence $(r')^+ \in \mathcal{R}'$. We leave details of the proof of the claim to the reader. From the claim, it follows that ψ is satisfiable in $\mathcal{C}_1^{nl,pr,uis}$, and that if ψ is satisfiable in $\mathcal{C}_1^{nl,pr,sync}$, then it is also satisfiable in $\mathcal{C}_1^{nl,pr,sync,uis}$. \square

5.6. Dealing with $\mathcal{C}_m^{nl,sync}$ (Theorem 3.9). We now want to show that $S5_m^U + \text{KT5}$ is sound and complete for KL_m with respect to $\mathcal{C}_m^{nl,sync}$. Soundness follows from the following lemma.

LEMMA 5.17. *All instances of KT5 are valid in $\mathcal{C}_m^{nl,sync}$.*

Proof. Suppose $\mathcal{I} \in \mathcal{C}_m^{nl,sync}$ and $(\mathcal{I}, r, n) \models \bigcirc K_i \varphi$. We want to show that $(\mathcal{I}, r, n) \models K_i \bigcirc \varphi$. Thus, suppose that $(r', n') \sim_i (r, n)$. We must show that $(\mathcal{I}, r', n') \models \bigcirc \varphi$. By synchrony, we must have $n' = n$. Moreover, by no learning and synchrony, we have that $(r, n+1) \sim_i (r', n+1)$. Since $(\mathcal{I}, r, n+1) \models K_i \varphi$, it follows that $(\mathcal{I}, r', n+1) \models \varphi$, and hence that $(\mathcal{I}, r', n) \models \bigcirc \varphi$, as desired. \square

For completeness, we construct an enriched⁺ system much as in the proof of

Theorem 3.7, using k -trees, with an appropriate strengthening of the \rightarrow relation.

We start by proving the following analogue of Lemma 5.11.

LEMMA 5.18. *Suppose that the axiomatization includes KT5. If s is a σ -state, t is a $(\sigma\#i)$ -state, $s \approx_i t$, and $s \rightarrow s'$, then there exists a $(\sigma\#i)$ -state t' such that $t \rightarrow t'$ and $s' \approx_i t'$.*

Proof. Since $\varphi_s \wedge \bigcirc \varphi_{s'}$ is consistent, it follows from Lemma 4.3(b) that $\varphi_{s_0} \wedge \bigcirc K_i \Phi_{s',i}^+$ is consistent. Moreover, by Lemma 4.3(c), we have that $\varphi_s \Vdash L_i \varphi_t$. Thus, $\varphi_s \wedge L_i \varphi_t \wedge \bigcirc K_i \Phi_{s',i}^+$ is consistent. Using KT5, it follows that $\varphi_s \wedge L_i \varphi_t \wedge K_i \bigcirc \Phi_{s',i}^+$ is consistent. It follows that $\varphi_t \wedge \bigcirc \Phi_{s',i}^+$ is consistent. Hence, there is some $(\sigma\#i)$ -state t' such that $s' \approx_i t'$ and $\varphi_t \wedge \bigcirc \varphi_{t'}$ is consistent. Thus, we have $s' \approx_i t'$ and $t \rightarrow t'$. \square

If S and T are k -trees, $s \in S$, and $t \in T$, we define $(S, s) \rightarrow^{sync,+} (T, t)$ if $S \rightarrow_f T$ for some f such that $f(s) = (s, t)$ and $f(s')$ has length 2 for all $s' \in S$. We now get the following simplification of Lemma 5.12.

LEMMA 5.19. *Suppose that the axiomatization includes KT5, S is a k -tree, and s is a σ -state in S , where $|\sigma| = k$.*

- (a) *If $tree_{S,s} \wedge \bigcirc (\varphi_t \wedge \xi)$ is consistent, then there exists a k -tree T and $t \in T$ such that $(S, s) \rightarrow^{sync,+} (T, t)$ and $tree_{T,t} \wedge \xi$ is consistent.*
- (b) *$tree_{S,s} \Rightarrow \bigvee_{\{(T,t): (S,s) \rightarrow^{sync,+} (T,t)\}} tree_{T,t}$ is provable.*
- (c) *If $tree_{S,s} \wedge \varphi \bigcup \varphi'$ is consistent, then there is a sequence S_0, \dots, S_l of k -trees and states s_0, \dots, s_l such that (i) $s_j \in S_j$, (ii) $(S, s) = (S_0, s_0)$, (iii) $(S_j, s_j) \rightarrow^{sync,+} (S_{j+1}, s_{j+1})$ for $j = 0, \dots, l-1$, (iv) $tree_{S_j, s_j} \wedge \varphi$ is consistent for $j = 0, \dots, l-1$, and (v) $tree_{S_l, s_l} \wedge \varphi'$ is consistent.*

Proof. The proof is like that of Lemma 5.12, using Lemma 5.18 instead of Lemma 5.11. We leave details to the reader. \square

We can then define a *sync*-acceptable sequence of trees by replacing \rightarrow^+ by $\rightarrow^{sync,+}$ in the definition of acceptable sequence of trees. Using Lemma 5.19, we can show that if the axiom system contains KT5, then we can construct an infinite *sync*-acceptable sequence $\mathcal{S} = S_0 \rightarrow^{sync,+} S_1 \rightarrow^{sync,+} S_2 \rightarrow^{sync,+} \dots$ of d -trees. As in Section 5.1, we use an object x not equal to any state. Given a \rightarrow -sequence $s_N \rightarrow s_{N+1} \rightarrow \dots$ starting at $s_N \in S_N$ the nl -*sync*-run r derived from it is defined so that $r_e(n) = s_n$ for $n \geq N$, else $r_e(n) = x$, and for each agent i , if $n \geq N$ then $r_i(n) = (n, O_i(s_n)O_i(s_{n+1})\dots)$, else $r_i(n) = (n, x^{N-n}O_i(s_n)O_i(s_{n+1})\dots)$. Thus, the local state of the agent enforces synchrony (by encoding the time) and enforces no learning. Let $\mathcal{R}^{nl, sync}$ consist of all nl -*sync*-runs derived from \rightarrow -sequences compatible with \mathcal{S} , and define Σ by taking $\Sigma(r, n) = s_n$ for $n \geq N$ and $\Sigma(r, n)$ undefined for $n < N$.

LEMMA 5.20. *Suppose the axiomatization includes KT5. Then $(\mathcal{R}^{nl, sync}, \Sigma)$ is an enriched⁺ system.*

Proof. The proof is essentially the same as that of Lemma 5.14. We leave details to the reader. \square

We complete the proof of Theorem 3.9 just as we did all the previous proofs.

5.7. Dealing with $\mathcal{C}_m^{nl, pr, sync}$ (Theorem 3.10). We now want to show that $S5_m^U + \text{KT2} + \text{KT5}$ is sound and complete for KL_m with respect to $\mathcal{C}_m^{nl, pr, sync}$. Soundness follows from Lemmas 5.7 and 5.17.

For completeness, we construct an enriched⁺ system by combining the ideas of the proofs of Theorems 3.8 and 3.9. Using Lemma 5.19, we can show that if the axiom system contains KT5, then we can construct an infinite *sync*-acceptable sequence \mathcal{S} of d -trees. Given a \rightarrow -sequence $s_0 \rightarrow s_1 \rightarrow \dots$, the nl -*pr*-*sync*-run r derived from it is defined so that $r_e(n) = s_n$ and $r_i(n) = (O_i(s_1) \dots O_i(s_n), O_i(s_n)O_i(s_{n+1}) \dots)$.

Thus, the local state of the agent enforces both perfect recall and no learning. It also enforces synchrony, since the agent can determine n from the length of the first of the two sequences in its local state. Let $\mathcal{R}^{nl,pr,sync}$ consist of all nl - pr - $sync$ -runs derived from \rightarrow -sequences with suffixes that are compatible with \mathcal{S} ; again, we define Σ by taking $\Sigma(r, n) = s_n$.

Using ideas similar to those in earlier proofs, we can now prove the following result.

LEMMA 5.21. *Suppose the axiomatization includes KT2 and KT5. Then $(\mathcal{R}^{nl,pr,sync}, \Sigma)$ is an enriched⁺ system. We complete the proof of Theorem 3.10 just as we did the earlier proofs.*

5.8. Dealing with $\mathcal{C}_m^{nl,sync,uis}$ and $\mathcal{C}_m^{nl,pr,sync,uis}$ (Theorem 3.11). Finally, we want to show that $S5_m^U + KT2 + KT5 + \{K_i\varphi \Leftrightarrow K_1\varphi\}$ is sound and complete for KL_m with respect to $\mathcal{C}_m^{nl,sync,uis}$ and $\mathcal{C}_m^{nl,pr,sync,uis}$. Soundness follows easily using the following result, which is Proposition 3.9 in [8] (restated using our notation).

PROPOSITION 5.22.

(a) $\mathcal{C}_m^{nl,sync,uis} = \mathcal{C}_m^{nl,pr,sync,uis}$.

(b) Any formula φ in KL_m is equivalent in $\mathcal{C}_m^{nl,sync,uis}$ to the formula φ' that results by replacing all occurrences of K_i , $i \geq 2$, by K_1 .

It follows from part (a) of Proposition 5.22 that the same axioms characterize $\mathcal{C}_m^{nl,sync,uis}$ and $\mathcal{C}_m^{nl,pr,sync,uis}$. Now using Theorems 5.7 and 5.17, the soundness of KT2 and KT5 follows. The soundness of $K_i\varphi \equiv K_1\varphi$ follows from part (b).

For completeness, using the axiom $K_i\varphi \equiv K_1\varphi$, it suffices to show the completeness of $S5_1^U + KT2 + KT5$ with respect to $\mathcal{C}_1^{nl,pr,sync,uis}$. By Theorem 3.10, this axiomatization is complete with respect to $\mathcal{C}_1^{nl,pr,sync}$. The result now follows using Lemma 5.16.

6. Remarks on No Learning. We noted in Section 2 that the definition of no learning adopted in this paper differs from that used in [5, 8]. We now comment on the reason for this change and the relationship between these alternative definitions of no learning.

First, recall from part (d) of Lemma 2.2 that that agent i has perfect recall in system \mathcal{R} if and only if

(*) for all points $(r, n) \sim_i (r', n')$ in \mathcal{R} , if $k \leq n$, then there exists $k' \leq n'$ such that $(r, k) \sim_i (r', k')$.

Intuitively, no learning is the dual of perfect recall, so it seems reasonable to define no learning by replacing references to the past in a definition of perfect recall by references to the future. This was done in [5, 8], where the definition given for no learning was the following future time variant of condition (*), which we call no learning', to distinguish it from our current definition: Agent i does not learn' in system \mathcal{R} if and only if

(**) for all points $(r, n) \sim_i (r', n')$ in \mathcal{R} , if $k \geq n$ then there exists $k' \geq n'$ such that $(r, k) \sim_i (r', k')$.

The following lemma states a number of relations holding between condition (**) and the other properties we have considered in this paper.

LEMMA 6.1.

(a) If agent i does not learn in system \mathcal{R} then agent i does not learn' in system \mathcal{R} .

(b) If system \mathcal{R} is synchronous or if agent i has perfect recall in \mathcal{R} , then agent i does not learn in \mathcal{R} iff agent i does not learn' in \mathcal{R} .

Proof. We first show (a). Suppose that agent i does not learn in \mathcal{R} . Assume that $(r, n) \sim_i (r', n')$ and let $k \geq n$. Since i does not learn, the future local state sequences at (r, n) and (r', n') are equal. It follows that there exists $k' \geq n'$ such that $(r, k) \sim_i (r', k')$. Thus, agent i does not learn'.

For (b), it follows from part (a) that it suffices to show the implication from no learning' to no learning. We consider the cases of synchrony and perfect recall independently. In each case, we show that if $(r, n) \sim_i (r', n')$ then there exists $k \geq n'$ such that the sequences $((r, n), (r, n+1))$ and $((r', n') \dots (r', k))$ are \sim_i -concordant. It then follows by Lemma 2.3 that agent i does not learn.

Assume first that \mathcal{R} is a synchronous system, and that $(r, n) \sim_i (r', n')$. By synchrony, we must have $n = n'$. By no learning', there exists $k \geq n$ such that $(r, n+1) \sim_i (r', k)$. By synchrony, k must equal $n+1$. It is immediate that $((r, n), (r, n+1))$ and $((r', n'), (r', n'+1))$ are \sim_i -concordant.

Next, assume that agent i has perfect recall in \mathcal{R} , and that $(r, n) \sim_i (r', n')$. By no learning', there exists $k \geq n'$ such that $(r, n+1) \sim_i (r', k)$. By perfect recall, agent i 's local state sequences $(r, n+1)$ and (r', k) are identical, as are the local state sequences at (r, n) and (r', n') . It follows that the sequences $((r, n), (r, n+1))$ and $((r', n'), \dots, (r', k))$ are \sim_i -concordant. \square

Thus, in the context of either synchrony or perfect recall, no learning and no learning' are equivalent. However, in systems without synchrony or perfect recall, no learning' is strictly weaker than no learning, as the following example shows. Consider the system $\mathcal{R} = \{r^1, r^2\}$ for a single agent, where the runs are defined by

$$r^1(n) = \begin{cases} (s_e, a) & \text{if } n = 0 \\ (s_e, b) & \text{if } n > 0 \text{ is odd} \\ (s_e, c) & \text{if } n > 0 \text{ is even,} \end{cases}$$

where s_e is some state of the environment, and a, b, c are local states of agent 1, and similarly

$$r^2(n) = \begin{cases} (s_e, a) & \text{if } n = 0 \\ (s_e, c) & \text{if } n > 0 \text{ is odd} \\ (s_e, b) & \text{if } n > 0 \text{ is even.} \end{cases}$$

This system clearly satisfies *uis* and condition (**), so we have no learning' (for both agents). However, agent 1's future local state sequences from the points $(r^1, 0) \sim_1 (r^2, 0)$ are not \sim_1 -concordant, so we do not have no learning. Thus, no learning and no learning' are distinct in general.

This raises the question of which of variant to take as the definition of no learning for the cases \mathcal{C}^{nl} and $\mathcal{C}^{uis, nl}$. The origin of this notion in the literature lies in Ladner and Reif's paper [11], where it is motivated as arising in the context of blindfold games. Their logic LLP assumes perfect recall, so is not decisive on the distinction. However, it seems that the behavior in the above example is somewhat unnatural for this application, and the definition we have adopted in this paper better fits the intuition of a player in a blindfold game following a fixed linear strategy, but with some uncertainty about timing. It is such examples that in fact led us to use the current definition of no learning.

It is worth noting that the example above also shows that the axiom KT4 is not sound with respect to the class of systems satisfying (**). Define the interpretation π of the propositions p and q on runs $r \in \mathcal{R}$ by $\pi(r, n)(p) = \mathbf{true}$ iff $r_1(n) = a$ and $\pi(r, n)(q) = \mathbf{true}$ iff $r_1(n) = b$. Let $\mathcal{I} = (\mathcal{R}, \pi)$. It is then readily seen that

$(\mathcal{I}, r^1, 0) \models K_1 p U K_1 q$ but not $(\mathcal{I}, r^1, 0) \models K_1(K_1 p U K_1 q)$. Hence KT4 fails in this system. (This example is a future time version of an example used in [14] to show that the axiom KT1 is incomplete for systems with perfect recall.) We have not investigated the issue of axiomatization using no learning' rather than no learning in the two cases where there is a difference— \mathcal{C}_m^{nl} and $\mathcal{C}_1^{nl,uis}$. We conjecture that, while there will be a relatively clean complete axiomatization in these cases, it will not be as elegant as the one proposed here. That is, the axiom that captures no learning will be somewhat more complicated than KT4. This conjecture is in line with our feeling that no learning is the “right” definition, not no learning'.

We remark that the complexity results of [5, 8, 7] are proved in the context of no learning', but it is relatively straightforward to show that the same results hold if we use the definition of no learning instead.

7. Discussion. While we have looked in this paper at the effect on axiomatization of some combinations of classes of systems and language (48 in all!), there are certainly other cases of interest. One issue we have already mentioned is that of branching time versus linear time. Basing the temporal fragment of the language on branching time yields another 48 logics, whose complexity is studied in [5]. We would conjecture that the obvious translations of the axioms we have presented here deal with branching time, with similar proofs of completeness, but this remains to be verified.

It is worth remarking that our results are very sensitive to the language studied. As we have seen, the language considered in this paper is too coarse to reflect some properties of systems. In the absence of the other properties, synchrony and unique initial states do not require additional axioms. This may no longer be true for richer languages. For example, if we allow past-time operators [13], we need not only the additional axioms capturing the properties of these, but also new axioms describing the interaction of knowledge and time. Suppose that we add an operator \ominus such that $(\mathcal{I}, r, n) \models \ominus \varphi$ if $n \geq 1$ and $(\mathcal{I}, r, n-1) \models \varphi$. Notice that $\neg \ominus true$ expresses the property “the time is 0” and $\ominus \neg \ominus true$ expresses the property “the time is 1”. Similarly, we can inductively define formulas that express the property “the time is m ” for each $m \geq 0$. If $time=m$ is an abbreviation for this formula, then $time = m \Rightarrow K_i(time = m)$ is valid in \mathcal{C}^{sync} , for each time m .

On the other hand, by adding past time operators we can simplify the axiom for perfect recall. Introducing the operator S for “since”, we may show that the formula

$$(K_i \varphi) S (K_i \psi) \Rightarrow K_i((K_i \varphi) S (K_i \psi))$$

is valid in \mathcal{C}^{pr} . This axiom very neatly expresses the meaning of perfect recall, and a comparison with KT4 shows clearly the sense in which perfect recall is a dual of no learning. Techniques similar to those developed in this paper may be used to prove that this axiom, together with the usual axioms for past time [13] and for knowledge, yields a complete axiomatization for \mathcal{C}^{pr} .

Besides changes to the language, there are also additional properties of systems worth considering. One case of interest is the class of *asynchronous message passing systems* of [1]. That extra axioms are required in such systems is known ([1] Exercise 8.8), but the question of complete axiomatization is still open.

REFERENCES

- [1] R. FAGIN, J. Y. HALPERN, Y. MOSES, AND M. Y. VARDI, *Reasoning about Knowledge*, MIT Press, Cambridge, Mass., 1995.
- [2] R. FAGIN, J. Y. HALPERN, AND M. Y. VARDI, *A model-theoretic analysis of knowledge*, Journal of the ACM, 91 (1991), pp. 382–428. A preliminary version appeared in *Proc. 25th IEEE Symposium on Foundations of Computer Science*, 1984.
- [3] D. GABBAY, A. PNUELI, S. SHELAH, AND J. STAVI, *On the temporal analysis of fairness*, in Proc. 7th ACM Symp. on Principles of Programming Languages, 1980, pp. 163–173.
- [4] J. Y. HALPERN AND Y. MOSES, *A guide to completeness and complexity for modal logics of knowledge and belief*, Artificial Intelligence, 54 (1992), pp. 319–379.
- [5] J. Y. HALPERN AND M. Y. VARDI, *The complexity of reasoning about knowledge and time*, in Proc. 18th ACM Symp. on Theory of Computing, 1986, pp. 304–315.
- [6] ———, *The complexity of reasoning about knowledge and time in asynchronous systems*, in Proc. 20th ACM Symp. on Theory of Computing, 1988, pp. 53–65.
- [7] ———, *The complexity of reasoning about knowledge and time: synchronous systems*, Research Report RJ 6097, IBM, 1988.
- [8] ———, *The complexity of reasoning about knowledge and time, I: lower bounds*, Journal of Computer and System Sciences, 38 (1989), pp. 195–237.
- [9] J. HINTIKKA, *Knowledge and Belief*, Cornell University Press, Ithaca, N.Y., 1962.
- [10] D. KOZEN AND R. PARIKH, *An elementary proof of the completeness of PDL*, Theoretical Computer Science, 14 (1981), pp. 113–118.
- [11] R. E. LADNER AND J. H. REIF, *The logic of distributed protocols (preliminary report)*, in Theoretical Aspects of Reasoning about Knowledge: Proc. 1986 Conference, 1986, pp. 207–222.
- [12] D. LEHMANN, *Knowledge, common knowledge, and related puzzles*, in Proc. 3rd ACM Symp. on Principles of Distributed Computing, 1984, pp. 62–67.
- [13] O. LICHTENSTEIN, A. PNUELI, AND L. ZUCK, *The glory of the past*, in Proc. Workshop on Logics of Programs, R. Parikh, ed., Lecture Notes in Computer Science, Volume 193, Springer-Verlag, Berlin/New York, 1985, pp. 196–218.
- [14] R. VON DER MEYDEN, *Axioms for knowledge and time in distributed systems with perfect recall*, in Proc. 9th IEEE Symp. on Logic in Computer Science, 1994, pp. 448–457.
- [15] R. PARIKH AND R. RAMANUJAM, *Distributed processing and the logic of knowledge*, in Proc. Workshop on Logics of Programs, R. Parikh, ed., 1985, pp. 256–268.
- [16] A. PNUELI, *Linear and branching structures in the semantics and logics of reactive systems*, in Proc. 12th International Colloquium on Automata, Languages and Programming, Lecture Notes in Computer Science 194, Springer-Verlag, Berlin/New York, 1985, pp. 15–32.
- [17] M. SATO, *A study of Kripke-style methods for some modal logics by Gentzen's sequential method*, Publications Research Institute for Mathematical Sciences, Kyoto University, 13 (1977), pp. 381–468.
- [18] E. SPAAN, *Nexttime is not necessary*, in Theoretical Aspects of Reasoning about Knowledge: Proc. Third Conference, 1990, pp. 241–256.